


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20	* Transmittal Letter PRT 20								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	A5500	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, fitting (including follow-up), custom preparation and supply of off-the -shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe.	1 unit = each shoe, 2 units per year (1 pair per year)	
ORT	A5501	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe.	A molded shoe, custom fabricated from a model of the patient. Different types and densities of inserts can be fabricated when the shoe is made for specific conditions. Includes casting and cast preparation.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5503	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe.	A rigid rocker bottom attached to the entire outer surface of the sole and heel of the shoe. Eliminates motion within the foot and limits ankle motion while allowing the patient a near normal gait pattern.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5504	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe.	A modification of a depth inlay or custom molded shoe that is a medial or lateral wedge added to or built into the shoe.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5505	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe.	A modification of a depth inlay or custom molded shoe that is a metatarsal bar added to or built into the shoe.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5506	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe.	A modification of a depth inlay or custom molded shoe that is an off-set heel added to or built into the shoe that adds stability to the shoe.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5507	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, not otherwise specified modification (including fitting) of off-the -shelf depth-inlay shoe or custom molded shoe, per shoe.	A modification of a depth inlay or custom molded shoe that is a modification that is not otherwise listed.	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5508	DIABETIC	Shoe Form Required	AAC+70%				RT LT	Sometimes	02 06 07	For diabetics only, deluxe feature of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe.	Denotes a special feature such as style, type or color of leather on a custom molded or off-the-shelf depth inlay shoe, each, for diabetics only. (This code will be automatically denied by Medicare.)	1 unit = each shoe, 2 units per year (1 pair per year).
ORT	A5510	DIABETIC	Shoe Form Required	AAC+70%				RT LT	Sometimes	02 06 07	For diabetics only, direct formed, compression molded to patient's foot without external heat source, multiple-density insert(s) prefabricated, per shoe.	Prefabricated shoe insert that is fabricated of multiple density materials that is contoured to the patients foot by means of compression as a result of wearing the insert within the shoe.	1 unit = each shoe, 6 units per year.
ORT	A5512	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer (or higher), prefabricated, each	1 unit = each, (3 inserts per shoe), 6 units per year.	
ORT	A5513	DIABETIC	Shoe Form Required					RT LT	Sometimes	02 06 07	For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer or higher, includes arch filler and other shaping material, custom fabricated, each	1 unit = each, 6 units per year	
ORT	A6530	BURN MASK						RT LT	Yes	02 06 07	Gradient compression stocking, below knee 18-30.	1 unit = each, 4 per year.	
ORT	A6531	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, below knee 30-40.	1 unit = each, 4 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP				Shoe Form									
				DHCFP	AAC COST	UNITS	AAC Markup						
ORT	A6532	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, below knee 40-50.	A below knee elastic compression support of surgical weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6533	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, thigh length 18-30.	An above knee elastic compression support of medium weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6534	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, thigh length 30-40.	An above knee elastic compression support of heavy weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6535	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, thigh length 40-50.	An above knee elastic compression support of surgical weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6536	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, full length 18-30.	A full length elastic compression support of medium weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6537	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, full length 30-40.	A full length elastic compression support of heavy weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6538	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, full length 40-50.	A full length elastic compression support of surgical weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6539	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, waist length 18-30.	A foot to waist elastic compression support of medium weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6540	ELASTIC SUPPORT STOCKINGS		AAC +50%				RT LT	Yes	02 06 07	Gradient compression stocking, waist length 30-40.	A foot to waist elastic garment with gradient compression that decreases proximally, providing a maximum pressure equal to 30 to 40 millimeters of mercury.	1 unit = each, 4 per year.
ORT	A6541	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradientcompression stocking, waist length 40-50.	A foot to waist elastic compression support of surgical weight, custom fitted.	1 unit = each, 4 per year.
ORT	A6542	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression stocking, custom made.	An elastic compression support that is custom fabricated to fit the patient.	1 unit = each, 4 per year.
ORT	A6543	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression, stocking lymphedema.	A lymphedema compression support.	1 unit = each, 4 per year.
ORT	A6544	ELASTIC SUPPORT STOCKINGS						RT LT	Yes	02 06 07	Gradient compression, stocking garter belt.	An elastic garter belt to hold up stockings or shrinkers.	1 unit = each, 4 per year.
ORT	A6549	ELASTIC SUPPORT STOCKINGS		AAC +50%				RT LT	Yes	02 06 07	Gradient compression stocking, not otherwise specified.		1 unit = each, 4 per year.
ORT	A8000	SPINAL ORTHOSES							Yes	02 06 07	Helmet, protective, soft, prefabricated, includes all components and accessories.		1 unit = each, 1 per year.
ORT	A8001	SPINAL ORTHOSES							Yes	02 06 07	Helmet, protective, hard, prefabricated, includes all components and accessories.		1 unit = each, 1 per year.
ORT	A8002	SPINAL ORTHOSES		AAC +70%					Yes	02 06 07	Helmet protective, soft, custom fabricated, includes all components and accessories.		1 unit = each, 1 per year.
ORT	A8003	SPINAL ORTHOSES		AAC +70%					Yes	02 06 07	Helmet protective, hard, custom fabricated, includes all components and accessories.		1 unit = each, 1 per year.
ORT	A8004	SPINAL ORTHOSES		AAC +40%					Yes	02 06 07	Soft interface for helmet, replacement only.		1 unit = each, 1 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	A9283	ORTHOTIC		AAC + 70%				RT LT	Yes	02 06 07	Foot pressure off loading/supportive device, any type, each	1 unit = each, 2 per year.	
ORT	L0112	SPINAL ORTHOTIC							Sometimes	02 06 07	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated.	1 unit= each, 2 units per year	
ORT	L0120	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, flexible, non-adjustable (foam collar).	1 unit= each, 2 per year. A flexible foam cervical support, covered with material, custom fitted.	
ORT	L0130	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, flexible, thermoplastic collar, molded to patient.	A thermoplastic cervical support that is custom molded directly to the patient. 1 unit= each, 2 per year.	
ORT	L0140	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, semi-rigid, adjustable (plastic collar).	A semi-rigid plastic cervical support with rolled edges, height adjustments, custom fitted. 1 unit= each, 1 units per year.	
ORT	L0150	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece).	A semi-rigid plastic cervical support with adjustable mandibular and occipital sections, custom fitted. 1 unit= each, 1 per year.	
ORT	L0160	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, semi-rigid, wire frame occipital/mandibular support.	Semi-rigid cervical orthosis consisting of a wire framework with protective covering, custom fit. 1 unit= each, 1 per year.	
ORT	L0170	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, collar, molded to patient model.	A rigid plastic or leather cervical support, custom molded from the patient's model, includes casting and cast preparation. 1 unit= each, 1 per year.	
ORT	L0172	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, collar, semi-rigid thermoplastic foam, two piece.	A semi-rigid thermoplastic foam two piece cervical support, custom fitted. 1 unit= each, 2 per year.	
ORT	L0174	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension.	A semi-rigid thermoplastic foam two piece cervical support extending distally both anteriorly and posteriorly for additional stability, custom fitted. 1 unit= each, 1 per year.	
ORT	L0180	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, multiple post collar, occipital/mandibular supports, adjustable.	A rigid metal adjustable cervical support utilizing two to four vertical posts or supports, custom fitted. 1 unit= each, 1 per year.	
ORT	L0190	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars (somi, guilford, taylor types)	A rigid metal cervical support utilizing an anterior plate beginning at the costal margin with adjustable metal struts extending over the shoulder, adjustable detachable mandibular and occipital sections, and custom fitted. 1 unit= each, 1 per year.	
ORT	L0200	SPINAL ORTHOTIC							Sometimes	02 06 07	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension.	A rigid metal adjustable cervical support utilizing two to four vertical posts or supports with anterior and posterior thoracic extensions, custom fitted. 1 unit= each, 1 per year.	
ORT	L0210	SPINAL ORTHOTIC							Sometimes	02 06 07	Thoracic, rib belt.	A cloth or elastic corset designed to support the rib region, custom fitted. 1 unit = each, 1 per year.	
ORT	L0220	SPINAL ORTHOTIC							Sometimes	02 06 07	Thoracic, rib belt, custom fabricated.	A cloth or elastic corset custom designed to support the rib region, custom fabricated. 1 unit = each, 1 per year.	
ORT	L0430	SPINAL ORTHOTIC							Sometimes	02 06 07	Spinal orthosis, anterior-posterior-lateral control, with interface material, custom fitted (dewall posture protector only)	A molded plastic body jacket with at least one opening, designed to provide control of all motion of the TLS region, interface material, custom fitted. 1 unit = each, 1 per year.	
ORT	L0450	SPINAL ORTHOTIC							Sometimes	02 06 07	Tiso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, includes fitting and adjustment.	Stays or Panel(s), Includes Shoulder Straps and Closures, Prefabricated, Includes Fitting and Adjustment. 1 unit = each, 1 per year	
ORT	L0452	SPINAL ORTHOTIC		AAC + 70%					Sometimes	02 06 07	Tiso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated.	1 unit = each, 1 per year	


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
				Description									
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0454	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso flexible, provides trunk support, extends from sacrococcygeal junction to above t-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0456	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks,includes straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0458	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner restricts gross trunk motion in the sagittal coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0460	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0462	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0464	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year
ORT	L0466	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and adjustment and shaping the frame, prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0468	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and adjustment and shaping the frame, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year	
ORT	L0470	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and adjustment and shaping the frame, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year	
ORT	L0472	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, includes fitting and adjustment and shaping the frame, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year	
ORT	L0480	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated.	1 unit = each, 2 per year	
ORT	L0482	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated.	1 unit = each, 2 per year	
ORT	L0484	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated.	1 unit = each, 1 per year	
ORT	L0486	SPINAL ORTHOSES							Sometimes	02 06 07	Tiso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated.	1 unit = each, 2 per year	


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0488	SPINAL ORTHOSES						Sometimes	02 06 07	Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior or extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated.		1 unit = each, 1 per year	
ORT	L0490	SPINAL ORTHOSES						Sometimes	02 06 07	TLSO, Sagittal-Coronal Control, One Piece Rigid Plastic Shell, with Overlapping Reinforced Anterior, with Multiple Straps and Closures, Posterior Extends from Sacrococcygeal Junction and Terminates at or before the T-9 Vertebra, Anterior Extends from Symphysis Pubis to Xiphoid, Anterior Opening, Restricts Gross Trunk Motion in Sagittal and Coronal Planes, Prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year	
ORT	L0491	SPINAL ORTHOSES						Sometimes	02 06 07	Tlso, sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, sofTLSO, Sagittal-Coronal Control, Modular Segmented Spinal System, Two Rigid Plastic Shells, Posterior Extends from the Sacrococcygeal Junction and Terminates Just Inferior to the Scapular Spine, Anterior Extends from the Symphysis Pubis to the Xiphoid, Soft Liner, Restricts Gross Trunk Motion in the Sagittal and Coronal Planes, Lateral Strength is Provided by Overlapping Plastic and Stabilizing Closures, includes Straps and Closures, Prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year.	
ORT	L0492	SPINAL ORTHOSES						Sometimes	02 06 07	TLSO, Sagittal-Coronal Control, Modular Segmented Spinal System, Three Rigid Plastic Shells, Posterior Extends from the Sacrococcygeal Junction and Terminates just Inferior to the Scapular Spine, Anterior Extends from the Symphysis Pubis to the Xiphoid, Soft Liner, Restricts Gross Trunk Motion in the Sagittal and Coronal Planes, Lateral Strength is Provided by Overlapping Plastic and Stabilizing Closures, Includes Straps and Closures, Prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year.	
ORT	L0621	SPINAL ORTHOSES						Sometimes	02 06 07	Sacroiliac Orthosis, Flexible, Provides Pelvic-Sacral Support, Reduces Motion about the Sacroiliac Joint, includes Straps, Closures, may include Pendulous Abdomen Design, Prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year.	
ORT	L0622	SPINAL ORTHOSES						Sometimes	02 06 07	Sacroiliac Orthosis, Flexible, Provides Pelvic-Sacral Support, Reduces Motion about the Sacroiliac Joint, includes Straps, Closures, may include pendulous abdomen design, custom fabricated.		1 unit = each, 1 per year.	
ORT	L0623	SPINAL ORTHOSES		AAC +50%				Sometimes	02 06 07	Sacroiliac Orthosis, Provides Pelvic-Sacral Support, with Rigid or Semi-Rigid Panels over the Sacrum and Abdomen, Reduces Motion about the Sacroiliac Joint, includes Straps, Closures, may include Pendulous Abdomen Design, Prefabricated, includes fitting and adjustment.		1 unit = each, 1 per year.	
ORT	L0624	SPINAL ORTHOSES		AAC+70%				Sometimes	02 06 07	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated.		1 unit = each, 1 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>	<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>							
			<div>* Subchapter 6 Orthotics</div>	<div>* Subchapter 6 Prosthetics</div>									
			<div>* Transmittal Letter ORT 20</div>	<div>* Transmittal Letter PRT 20</div>									
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0625	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar orthosis, flexible, provides lumbar support, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0626	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from L-1 to below L-5 vertebrae, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0627	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0628	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0629	SPINAL ORTHOSES		AAC+70%					Sometimes	02 06 07	Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	
ORT	L0630	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0631	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0632	SPINAL ORTHOSES		AAC+70%					Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	
ORT	L0633	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0634	SPINAL ORTHOSES		AAC + 70%					Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s) , posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s) , produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	
ORT	L0635	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s) , produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0636	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	
ORT	L0637	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0638	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	
ORT	L0639	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, includes fitting and adjustment.	1 unit = each, 1 per year.	
ORT	L0640	SPINAL ORTHOSES							Sometimes	02 06 07	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated.	1 unit = each, 1 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L0700	SPINAL ORTHOSSES						Sometimes	02 06 07	Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model, (minerva type).	A two piece molded plastic orthosis, designed to control the CTLS region, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 1 per year.	
ORT	L0710	SPINAL ORTHOSSES						Sometimes	02 06 07	Ctlso, anterior-posterior-lateral-control, molded to patient model, with interface material, (minerva type).	A two piece molded plastic orthosis, designed to control the CTLS region, custom fabricated from a model of the patient, interface material, includes casting and cast preparation.	1 unit = each, 1 per year.	
ORT	L0810	SPINAL ORTHOSSES						Sometimes	02 06 07	Halo procedure, cervical halo incorporated into jacket vest.	A metal superstructure connected to a skull ring, pins to go into the skull, attached to a molded plastic thoracic jacket, designed to immobilize the cervical spine, includes custom fitting and alignment.	1 unit = each, 1 per year.	
ORT	L0820	SPINAL ORTHOSSES						Sometimes	02 06 07	Halo procedure, cervical halo incorporated into plaster body jacket.	A metal superstructure connected to a skull ring, pins to go into the skull, attached to a custom jacket formed from plaster or synthetic casting material, designed to immobilize the cervical spine, includes custom fitting and alignment.	1 unit = each, 1 per year.	
ORT	L0830	SPINAL ORTHOSSES						Sometimes	02 06 07	Halo procedure, cervical halo incorporated into milwaukee type orthosis.	A metal superstructure connected to a skull ring, pins to go into the skull, attached to a custom designed orthosis with metal uprights and a molded plastic or leather pelvic section, custom fabricated from a model of the patient, includes casting, cast preparation, and alignment.	1 unit = each, 1 per year.	
ORT	L0859	SPINAL ORTHOSSES						Sometimes	02 06 07	Addition to halo procedure, magnetic resonance image compatible systems, rings and pins, any material.	Addition to L0810 - L0820 - L0830 only. The metal superstructure, ring and pins are of any MRI compatible material.	1 unit = each, 1 per year.	
ORT	L0861	SPINAL ORTHOSSES						Sometimes	02 06 07	Addition to halo procedure, replacement liner/interface material.		1 unit = each, 1 per year.	
ORT	L0970	SPINAL ORTHOSSES						Sometimes	02 06 07	Tlso, corset front.	Addition to any TLSO. A corset style front used when additional control is needed.	1 unit = each, 1 per year.	
ORT	L0972	SPINAL ORTHOSSES						Sometimes	02 06 07	Lso, corset front.	Addition to any LSO. A corset style front used when additional control is needed.	1 unit = each, 1 per year.	
ORT	L0974	SPINAL ORTHOSSES						Sometimes	02 06 07	Tlso, full corset.	Addition to any TLSO. A full corset used when maximum control is needed.	1 unit = each, 1 per year.	
ORT	L0976	SPINAL ORTHOSSES						Sometimes	02 06 07	Lso, full corset.	Addition to any LSO. A full corset used when maximum control is needed.	1 unit = each, 1 per year.	
ORT	L0978	SPINAL ORTHOSSES						RT LT	Sometimes	02 06 07	Axillary crutch extension.	Addition to any spinal orthosis. A crutch like support used to elevate and or support a shoulder.	1 unit = each, 1 per year.
ORT	L0980	SPINAL ORTHOSSES						Sometimes	02 06 07	Peroneal straps, pair.	Addition to any spinal orthosis or support. Peroneal straps used to prevent upward shifting.	1 unit = pair, 1 pair per year.	
ORT	L0982	SPINAL ORTHOSSES						LF RT	Sometimes	02 06 07	Stocking supporter grips, set of four (4).	Addition to any spinal orthosis or support. Stocking supporters to hold stockings in place.	1 unit = 1 (set of 4), 2 (sets) per year.
ORT	L0984	SPINAL ORTHOSSES						Sometimes	02 06 07	Protective body sock, each.	Addition to any spinal orthosis. A removable protective fabric interface for the torso.	1 unit = each, 6 per year.	
ORT	L0999	SPINAL ORTHOSSES		AAC +50%				Sometimes	02 06 07	Addition to spinal orthosis, not otherwise specified.		1 unit = each, 1 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L1000	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model	Orthosis used for treatment of scoliosis and/or kyphosis, consists of pelvic interface molded to patient model. Metal anterior and posterior uprights attach to the pelvic interface and terminate in the occipital mandibular area.	1 unit = each, 2 per year.	
ORT	L1001	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS		AAC+50%				Sometimes	02 06 07	Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment.	A prefabricated cervical thoracic lumbar sacral orthosis (CTLSO) used to immobilize the complete infant's spine.	1 unit = each, 2 per year.	
ORT	L1005	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment.	Orthosis utilizing elastic strapping linked to control pads intended for treatment of adolescent idiopathic scoliosis.	1 unit = each, 1 per year.	
ORT	L1010	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to cervical-thoracic-lumbar-sacral orthosis (ctlso) or scoliosis orthosis, axilla sling.	Addition to L1000, A plastic underarm device to assist in the control the thoracic region, custom fitted.	1 unit = each, 2 per year.	
ORT	L1020	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, kyphosis pad.		1 unit = each, 2 per year.	
ORT	L1025	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, kyphosis pad, floating.		1 unit = each, 2 per year.	
ORT	L1030	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, lumbar bolster pad.		1 unit = each, 2 per year.	
ORT	L1040	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, lumbar or lumbar rib pad.		1 unit = each, 2 per year.	

				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
ORT	L1050	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, sternal pad.		1 unit = each, 2 per year.
ORT	L1060	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, thoracic pad.		1 unit = each, 2 per year.
ORT	L1070	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, trapezius sling.	An over the shoulder pad/strap which exerts a downward pressure on the trapezes, to assist in the alignment of the shoulders and upper spine.	1 unit = each, 2 per year.
ORT	L1080	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, outrigger.	Addition to L1000, A metal component for auxiliary pad attachment, designed to achieve correct pressure by its length.	1 unit = each, 2 per year.
ORT	L1085	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, outrigger, bilateral with vertical extensions.	A metal band or component attached to the anterior bar of a CTLSO or other scoliosis orthosis to assist in placement of corrective pads to prevent pressure on the anterior chest wall.	1 unit = each, 2 per year.
ORT	L1090	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, lumbar sling.	A padded strap or sling used with a CTLSO or other scoliosis orthosis to apply/exert corrective or holding force on the lumbar spine.	1 unit = each, 2 per year.
ORT	L1100	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, ring flange, plastic or leather.	Addition to L1000, A plastic or leather ring that is designed to assist in control of the thoracic spine, custom fitted.	1 unit = each, 2 per year.
ORT	L1110	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS							Sometimes	02 06 07	Addition to ctlso or scoliosis orthosis, ring flange, plastic or leather, molded to patient model.	Addition to L1000, A plastic or leather ring that is designed to assist in control of the thoracic spine, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines								
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
ORT	L1120	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to ctlso, scoliosis orthosis, cover for upright, each.		1 unit = each, 4 per year.
ORT	L1200	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Thoracic-lumbar-sacral-orthosis (tlso), inclusive of furnishing initial orthosis only.	An orthosis designed for scoliosis and/or kyphosis, in the lower areas of the spine, molded plastic.	1 unit = each, 2 per year.
ORT	L1210	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), lateral thoracic extension.		1 unit = each, 2 per year.
ORT	L1220	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), anterior thoracic extension.	Addition to L1200, An anterior upright or inverted "U" shaped upright, attached to the basic orthosis designed for anterior control of the thoracic areas of the spine.	1 unit = each, 2 per year.
ORT	L1230	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), milwaukee type superstructure.	Metal superstructure of three uprights (2 posterior and 1 anterior) and neck ring attached to a low profile TLSO.	1 unit = each, 2 per year.
ORT	L1240	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), lumbar derotation pad.		1 unit = each, 4 per year.
ORT	L1250	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), anterior asis pad.		1 unit = each, 4 per year.
ORT	L1260	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tlso, (low profile), anterior thoracic derotation pad.	A pad attached to or incorporated into the anterior portion of a low profile scoliosis TLSO to counteract rotation of the thoracic spine.	1 unit = each, 4 per year.


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines								
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
ORT	L1270	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tiso, (low profile), abdominal pad		1 unit = each, 4 per year.
ORT	L1280	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tiso, (low profile), rib gusset (elastic), each.	An elastic custom fabricated control section designed for the ribs.	1 unit = each, 4 per year.
ORT	L1290	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Addition to tiso, (low profile), lateral trochanteric pad.	Addition to L1200, A pad installed in the trochanter area, to control the lumbar curve.	1 unit = each, 4 per year.
ORT	L1300	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Other scoliosis procedure, body jacket molded to patient model.	A molded plastic body jacket that is custom designed for control of scoliosis, custom fabricated, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L1310	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Other scoliosis procedure, post-operative body jacket.		1 unit = each, 2 per year.
ORT	L1499	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS		AAC+70%				Yes	02 06 07	Spinal orthosis, not otherwise specified.		Unlisted procedures for Cervical and Spinal orthosis. (Pay by report).
ORT	L1500	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Thoracic-hip-knee-ankle orthosis (thkao), mobility frame (newington, parapodium types).	A device for children who cannot stand unaided, hinges at the knees and hips permit sitting, custom fitted.	1 unit = each, 1 per year.
ORT	L1510	MISCELLANEOUS SPINAL ORTHOSES AND ADDITIONS						Sometimes	02 06 07	Thkao, standing frame, with or without tray and accessories.	A device for patients who cannot stand unaided, without knee or hip joints, custom fitted.	1 unit = each, 1 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L1520	MISCELLANEOUS SPINAL ORTHOSSES AND ADDITIONS							Sometimes	02 06 07	Thkao, swivel walker.	A device for children who cannot stand unaided; without knee or hip joints, has special plate attachments which permit limited ambulation, custom fitted.	1 unit = each, 1 per year.
ORT	L1600	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, flexible, frejka type with cover, prefabricated, includes fitting and adjustment.	A cloth bib type device for infants that has a pillow inserted that fits between the legs to hold the hips in abduction, custom fitted.	1 unit = each, 2 per year.
ORT	L1610	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, flexible, (frejka cover only), prefabricated, includes fitting and adjustment.	A bib type device that has the capability of having a pillow inserted for hip abduction and is an extra cover for L1600.	1 unit = each, 2 per year.
ORT	L1620	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, flexible, (pavlik harness), prefabricated, includes fitting and adjustment.	A cloth, or similar material, harness designed to hold infants hips in abduction, custom fitted.	1 unit = each, 2 per year.
ORT	L1630	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, semi-flexible (von rosen type), custom-fabricated.	A plastic orthosis designed to hold an infant's hips in abduction, custom fabricated.	1 unit = each, 2 per year.
ORT	L1640	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom-fabricated.	A metal orthosis that is designed to hold an infant's hips in abduction, includes a pelvic band and thigh cuffs, custom fabricated.	1 unit = each, 2 per year.
ORT	L1650	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, static, adjustable, (lifed type), prefabricated, includes fitting and adjustment.	An adjustable orthosis designed to hold an infant's hips in abduction, includes thigh cuffs with cloth covers, adjustable spreader bar, posterior strap, custom fitted.	1 unit = each, 2 per year.
ORT	L1652	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, any type.		1 unit = each, 1 per year.
ORT	L1660	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment.	A Static prefabricated bilateral plastic hip orthosis that maintains the hips in an appropriately prescribed degree of abduction.	1 unit = each, 2 per year.
ORT	L1680	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joints, dynamic, pelvic control, Adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated.	A metal orthosis designed to control hip abduction, allow ambulation, for children, pelvic band, adjustable hip motion control, thigh cuffs, custom fabricated.	1 unit = each, 1 per year.
ORT	L1685	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated.	A metal or plastic orthosis designed to control motion of one hip, includes a pelvic section, hip joint, and thigh section, used postoperatively, custom fabricated.	1 unit = each, 1 per year.
ORT	L1686	HIP ORTHOSSES							Sometimes	02 06 07	Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment.	A metal or plastic orthosis designed to control motion of one hip, includes a pelvic section, hip joint, and thigh section, used postoperatively, custom fitted.	1 unit = each, 1 per year.
ORT	L1690	HIP ORTHOSSES							Sometimes	02 06 07	Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment.	A custom-fitted bilateral hip control orthosis which offers combined adduction and rotational guidance.	1 unit = each, 2 per year.
ORT	L1700	LEGG-PERTHES ORTHOSSES						RT LT	Sometimes	02 06 07	Legg perthes orthosis, (toronto type), custom-fabricated.	A metal orthosis designed to hold a child's hips in abduction while allowing leg motion, includes thigh cuffs, vertical post, and universal joints. Adjustable bars attached to shoes and wedges, custom fabricated.	1 unit = each, 2 per year.
ORT	L1710	LEGG- PERTHES ORTHOSSES						RT LT	Sometimes	02 06 07	Legg perthes orthosis, (newington type), custom fabricated.	A metal and plastic orthosis designed to hold a child's hips in abduction while allowing limited leg motion. Uses thigh and calf cuffs, and a metal frame, custom fabricated.	1 unit = each, 2 per year.
ORT	L1720	LEGG-PERTHES ORTHOSSES						RT LT	Sometimes	02 06 07	Legg perthes orthosis, trilateral, (tachdijan type), custom-fabricated.	A metal and plastic orthosis that is designed to hold one hip in abduction while allowing ambulation, uses an ischial weight bearing brim, metal structure, lockable knee joint, attachment to keep the leg in traction, custom fabricated	1 unit = each, 2 per year.
ORT	L1730	LEGG- PERTHES ORTHOSSES						RT LT	Sometimes	02 06 07	Legg perthes orthosis, (scottish rite type), custom-fabricated.	A metal and plastic orthosis designed to hold the hips in abduction while allowing free hip and knee motion. Uses a pelvic band, hip joints, and thigh cuffs. Custom fabricated.	1 unit = each, 2 per year.
ORT	L1755	LEGG-PERTHES ORTHOSSES						RT LT	Sometimes	02 06 07	Legg perthes orthosis, (patten bottom type), custom-fabricated.	A metal and plastic orthosis designed to keep weight off one leg, uses an ischial weight bearing brim, metal structure that goes to the floor, free knee joints, calf band, strap to keep the leg in traction, custom fabricated.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L1800	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, elastic with stays, prefabricated, includes fitting and adjustment.	An elastic or neoprene support for the knee with flexible stays, custom fitted.	1 unit = each, 2 per year.
ORT	L1810	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, elastic with joints, prefabricated, includes fitting and adjustment.	An elastic or neoprene semi-rigid support for the knee, has medial and lateral hinges, custom fitted.	1 unit = each, 2 per year.
ORT	L1815	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, elastic or other elastic type material with condylar pad(s), prefabricated, includes fitting and adjustment.	An elastic, elastic type material, or neoprene support for the knee, flexible stays, medial and lateral condyle pads, custom fitted.	1 unit = each, 2 per year.
ORT	L1820	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, includes fitting and adjustment.	An elastic or neoprene semi-rigid support for the knee, medial and lateral hinges, medial and lateral condyle pads, with or without patellar control pads or straps, custom fitted.	1 unit = each, 2 per year.
ORT	L1825	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, elastic knee cap, prefabricated, includes fitting and adjustment.	An elastic or neoprene flexible support for the knee, custom fitted.	1 unit = each, 2 per year.
ORT	L1830	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, immobilizer, canvas longitudinal, prefabricated, includes fitting and adjustment.	A semi-rigid canvas support designed to restrict motion of the knee, custom fitted.	1 unit = each, 2 per year. A semi-rigid canvas support designed to restrict motion of the knee, custom fitted.
ORT	L1831	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L1832	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, includes fitting and adjustment.	A semi-rigid support to restrict knee motion, has adjustable unicentric or polycentric extension/flexion knee joints, custom fitted	1 unit = each, 2 per year.
ORT	L1834	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, without knee joint, rigid, custom-fabricated.	A rigid support designed to prevent knee motion, custom fabricated.	1 unit = each, 2 per year.
ORT	L1836	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, rigid, without joint(s), includes soft interface material, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L1840	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated.	Designed to support and protect the ligaments of the knee, has hinged knee joints, custom fabricated.	1 unit = each, 2 per year.
ORT	L1843	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	KO, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, includes fitting and adjustment.	Custom fitted version of L1844. Knee orthosis with thigh and calf sections and a single hinge which offers significant control in all three planes with or without adjustable varus/valgus feature with a unicentric or polycentric joint.	1 unit = each, 2 per year.
ORT	L1844	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated.	Knee orthosis with thigh and calf sections and single upright with a unicentric or polycentric knee joint that will permit changes in flexion and extension, intended for medial-lateral and rotation control, with or without varus/valgus feature, custom fabricated.	1 unit = each, 2 per year.
ORT	L1845	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, includes fitting and adjustment.	Prefabricated knee orthosis with thigh and calf sections and double upright unicentric or polycentric knee joints that will permit changes in flexion and extension, intended for medial-lateral and rotation control, custom fit	1 unit = each, 2 per year.
ORT	L1846	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated.	Knee orthosis with thigh and calf sections and double upright unicentric or polycentric knee joints that will permit changes in flexion and extension, intended for medial-lateral and rotation control, custom fabricated.	1 unit = each, 2 per year.
ORT	L1847	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, includes fitting and adjustment.	A custom-fitted double bar knee orthosis with inflatable pads and adjustable joints with pneumatic extension assist feature, which can limit range of knee motion in the saggital plane.	1 unit = each, 2 per year.
ORT	L1850	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, swedish type, prefabricated, includes fitting and adjustment.	A rigid knee orthosis to prevent recurvatum. Custom fitted	1 unit = each, 2 per year.


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20	* Transmittal Letter PRT 20								
Description											Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L1860	KNEE ORTHOSES						RT LT	Sometimes	02 06 07	Knee orthosis, modification of supracondylar prosthetic socket, custom-fabricated (sk).	Knee orthosis designed with uniquely contoured segments above and below the knee. Intended for control of knee hyperextension. Orthosis is custom fabricated to a patient model.	1 unit = each, 2 per year.
ORT	L1900	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, spring wire, dorsiflexion assist calf band, custom-fabricated.	An orthosis to provide assistance in dorsiflexing the foot in swing phase, allows ankle motion during loading, uses spring wire, calf cuff, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L1901	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle orthosis, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 4 per year.
ORT	L1902	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, ankle gauntlet, prefabricated, includes fitting and adjustment.	A flexible orthosis to provide mild medial/lateral support for the ankle, custom fitted.	1 unit = each, 4 per year.
ORT	L1904	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, molded ankle gauntlet, custom-fabricated.		1 unit = each, 4 per year.
ORT	L1906	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, multiligamentus ankle support, prefabricated, includes fitting and adjustment.	Orthosis of thermoplastic or similar material with foot segment and medial and lateral uprights intended to provide medial-lateral stability to the ankle, custom fit.	1 unit = each, 4 per year.
ORT	L1907	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Afo, supramalleolar with straps, with or without interface/pads, custom fabricated.	A molded plastic orthosis which extends above the ankle, but not to the calf, custom fabricated	1 unit = each, 4 per year.
ORT	L1910	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment.	An orthosis to assist in dorsiflexion of the foot with a semi-flexible posterior bar, attaches via a clip to the back of a shoe, calf cuff, custom fitted.	1 unit = each, 2 per year.
ORT	L1920	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, single upright with static or adjustable stop (phelps or perlstein type), custom-fabricated.	Orthosis with calf band and cuff and single upright with static or adjustable plantar flexion stop, attached to a shoe, custom fabricated	1 unit = each, 2 per year.
ORT	L1930	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment.	A semi-rigid plastic orthosis to hold the foot in neutral position (dorsi-plantar flexion), custom fitted	1 unit = each, 4 per year.
ORT	L1932	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Afo, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment.	A Prefabricated AFO that encompasses the proximal anterior Tibia.	1 unit = each, 2 per year.
ORT	L1940	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, plastic or other material, custom-fabricated.	A semi-rigid molded plastic orthosis to hold the foot in neutral position (dorsi-plantar flexion), controls foot position, custom fabricated.	1 unit = each, 4 per year.
ORT	L1945	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom-fabricated.	An orthosis which holds the foot in functional position and provides knee stabilization by a rigid anterior tibial section.	1 unit = each, 4 per year.
ORT	L1950	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic, custom-fabricated.	A dynamic orthosis consisting of a band of material which spirals from a footplate to the calf band, custom fabricated orthosis to control the foot and ankle	1 unit = each, 4 per year.
ORT	L1951	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment.	A dynamic orthosis consisting of a band of material which spirals from a footplate to the calf band, pre-fabricated	1 unit = each, 2 per year.
ORT	L1960	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, posterior solid ankle, plastic, custom-fabricated.	A rigid orthosis to control the foot and ankle, custom fabricated.	1 unit = each, 4 per year.
ORT	L1970	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, plastic with ankle joint, custom-fabricated.	An orthosis to control the ankle and foot, free motion joint(s) at the ankle, custom fabricated.	1 unit = each, 4 per year.
ORT	L1971	ANKLE-FOOT ORTHOSES						RT LT	Sometimes	02 06 07	Ankle foot orthosis, plastic or other material with ankle joint, prefabricated, includes fitting and adjustment.	An orthosis to control the ankle and foot, free motion joint(s) at the ankle, prefabricated.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics	* Error Codes and Explanations							
				* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20	* Transmittal Letter PRT 20								
				Description						Interpretive Description		Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L1980	ANKLE-FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Ankle foot orthosis, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar 'bk' orthosis), custom-fabricated.	An orthosis to control the ankle joint and foot, unilateral metal or equal upright, unicentric free motion joint at the ankle, calf band and cuff, attached to a shoe, custom fabricated.	1 unit = each, 4 per year.
ORT	L1990	ANKLE-FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Ankle foot orthosis, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar 'bk' orthosis), custom-fabricated.	An orthosis to control the ankle and foot, bilateral metal or similar uprights, bilateral unicentric free motion ankle joints, calf band and cuff, attached to a shoe, custom fabricated.	1 unit = each, 4 per year.
ORT	L2000	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), custom-fabricated.	An orthosis to control the knee, ankle, and foot, unilateral metal or similar upright, unicentric free motion joint at the knee and ankle, thigh and calf bands with cuffs, attached to a shoe, custom fabricated	1 unit = each, 2 per year.
ORT	L2005	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, mechanical activation, includes ankle joint, any type, custom fabricated.	A custom fabricated single or double upright KAFO, thermoplastic or conventional construction, designed with a mechanical stance phase locking knee joint, with swing phase release, and an ankle joint.	1 unit = each, 2 per year.
ORT	L2010	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), without knee joint, custom-fabricated.	An orthosis to control the knee, ankle, foot, unilateral metal or similar upright, unicentric free motion ankle joint, no knee joint, thigh and calf bands with cuffs, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L2020	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'ak' orthosis), custom-fabricated.	An orthosis to control the knee ankle, foot, bilateral metal or similar uprights, bilateral unicentric free motion joints at the knee and ankle, thigh and calf bands with cuffs, attached to a shoe, custom fabricated.	1 unit = each, 4 per year.
ORT	L2030	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar 'ak' orthosis), without knee joint, custom fabricated.	An orthosis to control the knee and ankle, foot, bilateral metal or similar uprights, bilateral unicentric free motion ankle joints and no knee joints, thigh and calf bands with cuffs, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L2034	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated.	An orthosis to control medial-lateral stability of the knee and ankle with free motion or rigid control at the ankle, a unilateral upright, molded plastic thigh, calf and ankle/foot sections, custom fabricated.	1 unit = each, 4 per year.
ORT	L2035	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, full plastic, static (pediatric size), without free motion ankle, prefabricated, includes fitting and adjustment	Prefabricated plastic KAFO designed to hold a child's ankle and knee in a fixed position, non-adjustable, sometimes used to treat Infantile Club Foot disorders.	1 unit = each, 4 per year.
ORT	L2036	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated.	An orthosis to control the knee and ankle, with free motion joints or rigid control at the ankle, with or without bilateral unicentric free motion joints at the knee, molded plastic thigh and calf/ankle/foot sections, custom fabricated.	1 unit = each, 4 per year.
ORT	L2037	KNEE-ANKLE-FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated	An orthosis to control the knee and ankle, with free motion joints or rigid control at the ankle, with our without unilateral unicentric free motion joint at the knee, molded plastic thigh and calf/ankle/foot sections, custom fabricated.	1 unit = each, 4 per year.
ORT	L2038	KNEE-ANKLE- FOOT ORTHOSIS						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated.		1 unit = each, 4 per year.
ORT	L2040	TORSION CONTROL ORTHOSIS						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated.	An orthotic device to assist in controlling rotation at the hips. Pelvic band and belt with elastic or webbing straps that twist around the legs, attached to shoes, custom fabricated.	1 unit = each, 1 per year.
ORT	L2050	TORSION CONTROL ORTHOSIS						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom-fabricated.		1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2060	TORSION CONTROL ORTHOSES						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/ belt, custom-fabricated.	An orthosis to control the internal or external rotation of the hips, pelvic band & belt. unicentric free motion ball bearing hip joints, bilateral torsion cables, calf straps, attached to shoes, custom fabricated.	1 unit = each, 2 per year.
ORT	L2070	TORSION CONTROL ORTHOSES						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated.	An orthotic device to assist in controlling rotation of one hip. Pelvic band & belt with an elastic or webbing strap that twists around the leg, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L2080	TORSION CONTROL ORTHOSES						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom-fabricated.	An orthosis to control the internal or external rotation of one hip, pelvic band & belt, unicentric free motion hip joint, unilateral torsion cable, calf strap, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L2090	TORSION CONTROL ORTHOSES						RT LT	Sometimes	02 06 07	Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, ball bearing hip joint, pelvic band/ belt, custom-fabricated.	An orthosis to control the internal or external rotation of one hip, has a pelvic band & belt, unicentric ball bearing free motion hip joint, unilateral torsion cable, calf strap, attached to a shoe, custom fabricated.	1 unit = each, 2 per year.
ORT	L2106	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom-fabricated.	Orthosis of thermoplastic type casting material for a tibial region fracture, customarily applied directly to the extremity.	1 unit = each, 2 per year.
ORT	L2108	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom-fabricated.	An AFO, fracture orthosis, consisting of a circumferential tibial section, molded to patient model	1 unit = each, 2 per year.
ORT	L2112	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment.	An AFO fracture orthosis, free motion unicentric ankle, made of soft thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2114	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment.	An AFO fracture orthosis, free motion unicentric ankle, made of semi-rigid thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2116	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment	An AFO fracture orthosis, free motion unicentric ankle, made of rigid thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2126	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom-fabricated.	A KAFO fracture orthosis, free motion knee joints, fabricated of a thermoplastic type casting material that is custom fabricated	1 unit = each, 2 per year.
ORT	L2128	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom-fabricated.	Knee ankle foot orthosis for a femoral fracture, above knee and below knee segments linked by a free motion knee joint, custom fabricated.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2132	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Kafo, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment.	A KAFO fracture orthosis, prefabricated, free motion knee and ankle, made of soft thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2134	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Kafo, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment.	A KAFO fracture orthosis, prefabricated, free motion knee and ankle, made of semi-rigid thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2136	FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Kafo, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment.	A KAFO fracture orthosis, prefabricated, free motion knee and ankle, made of rigid thermoplastic material, custom fitted.	1 unit = each, 2 per year.
ORT	L2180	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints.	Addition to fracture orthosis, a plastic foot piece with free motion ankle joints and extensions.	1 unit = each, 2 per year.
ORT	L2182	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, drop lock knee joint.	Addition to fracture orthosis, locking knee joints.	1 unit = each, 4 per year.
ORT	L2184	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, limited motion knee joint.	Addition to fracture orthosis, limited motion knee joints.	1 unit = each, 2 per year.
ORT	L2186	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, adjustable motion knee joint, lerman type.	Addition to fracture orthosis, adjustable motion limiting knee joints.	1 unit = each, 4 per year.
ORT	L2188	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, quadrilateral brim.	Addition to fracture orthosis, a prefabricated proximal brim to assist in controlling rotation and improving patient acceptance.	1 unit = each, 2 per year.
ORT	L2190	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, waist belt.	Addition to fracture orthosis, a waist belt used for suspension.	1 unit = each, 1 per year.
ORT	L2192	ADDITIONS TO FRACTURE ORTHOSES - LOWER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt.	Addition to full limb fracture orthosis, pelvic band and belt, hip joint, extension onto the orthosis, assists in controlling rotation, abduction and adduction, custom fabricated.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2200	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, limited ankle motion, each joint.	Unicentric ankle joints that are individually set to limit motion of the ankle.	1 unit = each, 8 per year.
ORT	L2210	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint.	Unicentric ankle joints that have an internal spring to assist dorsiflexion of the foot when unweighted.	1 unit = each, 8 per year.
ORT	L2220	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint.	Unicentric ankle joints that have two adjustable springs to provide both extension and flexion of the foot.	1 unit = each, 8 per year.
ORT	L2230	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, split flat caliper stirrups and plate attachment.	A metal plate that attaches to a shoe, has a rectangular tube that receives stirrup sections, makes shoes interchangeable.	1 unit = each, 2 per year.
ORT	L2232	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, rocker bottom for total contact ankle foot orthosis, for custom fabricated orthosis only.	An addition to the base of a solid ankle total contact AFO, not used with a shoe, the shape of this addition is designed to create a smooth transition through the stance phase of gait, reducing motion at the ankle foot complex.	1 unit = each, 2 per year.
ORT	L2240	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, round caliper and plate attachment.	A metal plate that attaches to a shoe, has a round tube that receives round pins, is used without ankle joints, makes shoes interchangeable.	1 unit = each, 4 per year.
ORT	L2250	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, foot plate, molded to patient model, stirrup attachment.	A custom fabricated foot section molded from a model of the patient, includes stirrup attachment, fits into a shoe, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L2260	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, reinforced solid stirrup (scott-craig type).	A specially designed stirrup used when rigidity is required. Extensive shoe modification is required.	1 unit = each, 2 per year.
ORT	L2265	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, long tongue stirrup.	A stirrup with an extended tongue and used when rigidity within the shoe is required.	1 unit = each, 2 per year.
ORT	L2270	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, varus/valgus correction ('t') strap, padded/lined or malleolus pad.	"T" strap is custom fabricated and attached to the patient's shoe. The malleolus pad is custom fitted and attached to the orthosis. These are used to control the anatomical position of the patient's ankle.	1 unit = each, 8 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines										
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2275	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined.	A modification to, or a feature of an custom molded orthosis intended to control varus/valgus	1 unit = each, 4 per year.
ORT	L2280	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, molded inner boot.	A custom fabricated foot and ankle section molded from a model of the patient, plastic or leather, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L2300	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable.	An adjustable abduction bar, used to keep the feet apart when used with bilateral orthosis, custom fabricated.	1 unit = each, 2 per year.
ORT	L2310	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, abduction bar-straight.	A non-adjustable abduction bar, used to keep the feet apart when used with bilateral orthosis, custom fabricated.	1 unit = each, 2 per year.
ORT	L2320	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, non-molded lacer, for custom fabricated orthosis only.	A leather, or similar material, lacer that fits around the calf area, custom to measurement.	1 unit = each, 2 per year.
ORT	L2330	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, lacer molded to patient model, for custom fabricated orthosis only.	A leather, or similar material, lacer molded from a model of the patient, which fits around the calf area, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L2335	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, anterior swing band.	A rigid anterior metal band for attachment to a lower extremity orthosis.	1 unit = each, 2 per year.
ORT	L2340	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, pre-tibial shell, molded to patient model.	An anterior shell, using floor reaction forces, molded of plastic from a model of the patient, custom fabricated, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L2350	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for 'ptb' 'afo' orthoses).	A custom fabricated prosthetic type two piece socket, molded from a model of the patient, used on AFOs, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L2360	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, extended steel shank.	A steel piece inserted between the inner and outer sole of a shoe that provides rigidity.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2370	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, patten bottom.	An extension that fits under the shoe on a KAFO that eliminates weight bearing on the foot.	1 unit = each, 2 per year.
ORT	L2375	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, torsion control, ankle joint and half solid stirrup.	A half stirrup attached to a shoe and a free motion ankle joint for torsion control orthosis.	1 unit = each, 4 per year.
ORT	L2380	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, torsion control, straight knee joint, each joint.	A free motion knee joint for torsion control orthosis.	1 unit = each, 4 per year.
ORT	L2385	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, straight knee joint, heavy duty, each joint.	A heavy duty 180 degree stop unicentric knee joint for KO and KAFO.	1 unit = each, 8 per year.
ORT	L2387	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint.	Addition, polycentric knee joint for custom KAFO only.	1 unit = each, 8 per year.
ORT	L2390	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, offset knee joint, each joint.		1 unit = each, 8 per year.
ORT	L2395	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, offset knee joint, heavy duty, each joint.	A design of a 180 degree stop unicentric heavy duty knee joint for KO and KAFO that puts the joint center posterior to the weight line providing more knee stability.	1 unit = each, 8 per year.
ORT	L2397	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, suspension sleeve.	A prosthetic type suspension sleeve for lower extremity orthosis providing suspension and maintaining proper position.	1 unit = each, 2 per year.
ORT	L2405	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to knee joint, drop lock, each.		1 unit = each, 8 per year.
ORT	L2415	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to knee lock with integrated release mechanism (ball, cable, or equal), any material, each joint.	A design of a 180 degree stop unicentric knee joint for KAFO that when used in pairs allows both joints to be unlocked and locked at the same time.	1 unit = each, 8 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2425	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint.	A design of a 180 degree stop adjustable flexion unicentric knee joint for KAFO.	1 unit = each, 8 per year.
ORT	L2430	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to knee joint, ratchet lock for active and progressive knee extension, each joint.	An addition to a lower extremity orthosis, an incremental locking feature at the knee joint.	1 unit = each, 8 per year.
ORT	L2492	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to knee joint, lift loop for drop lock ring.	A spring assisted device that when pulled up unlocks the joint and automatically locks it when extended.	1 unit = each, 4 per year.
ORT	L2500	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, gluteal/ ischial weight bearing, ring.	An addition to a KAFO that is designed to assist with weight bearing at the Ischium.	1 unit = each, 2 per year.
ORT	L2510	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, quadri-lateral brim, molded to patient model.	A custom fabricated quadrilateral socket design for weight bearing on a KAFO that is molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L2520	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, quadri-lateral brim, custom fitted.	A custom fitted quadrilateral socket design for weight bearing on a KAFO.	1 unit = each, 2 per year.
ORT	L2525	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim molded to patient model.	A custom fabricated narrow ML socket design for weight bearing on a KAFO that is molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L2526	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow m-l brim, custom fitted.	A custom fitted narrow ML socket design for weight bearing on a KAFO.	1 unit = each, 2 per year.
ORT	L2530	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh-weight bearing, lacer, non-molded.	A thigh lacer for a KAFO to assist with weight bearing and is custom fabricated.	1 unit = each, 2 per year.
ORT	L2540	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, lacer, molded to patient model.	A thigh lacer for a KAFO to assist with weight bearing, molded from a model of the patient, custom fabricated, includes casting and cast preparation.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines										
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L2550	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, thigh/weight bearing, high roll cuff.	A special top to a thigh lacer which is padded and has a rolled edge for greater support.	1 unit = each, 2 per year.
ORT	L2570	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, clevis type two position joint, each.	A specially designed hip joint that can be locked in 180 and 90 degree positions.	1 unit = each, 2 per year.
ORT	L2580	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, pelvic sling.	A strap or narrow band of leather or similar flexible or malleable material attached to orthotic hip joints and used to apply pressure or force to the gluteal area to stabilize the pelvic region and/or encourage hip extension	1 unit = each, 2 per year.
ORT	L2600	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, clevis type, or thrust bearing, free, each.	A free motion unicentric hip joint for KAFOs.	1 unit = each, 4 per year.
ORT	L2610	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, clevis or thrust bearing, lock, each.	A free motion unicentric hip joint with a drop lock for KAFOs.	1 unit = each, 4 per year.
ORT	L2620	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, heavy duty, each.	A heavy duty free motion unicentric hip joint for KAFOs.	1 unit = each, 4 per year.
ORT	L2622	ADDITIONS TO LOWER EXTREMITY ORTHOSES							LF RT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each.	An adjustable flexion free motion unicentric hip joint for KAFOs.	1 unit = each, 4 per year.
ORT	L2624	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each.	An adjustable extension, flexion, and abduction free motion unicentric hip joint.	1 unit = each, 4 per year.
ORT	L2627	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables.		1 unit = each, 2 per year.
ORT	L2628	ADDITIONS TO LOWER EXTREMITY ORTHOSES							RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables.	A hip control system providing a reciprocating gait action. Includes a metal pelvic band, special hip joints, vertical lateral uprights, thoracic belt, custom fabricated.	1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L2630	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, band and belt, unilateral.	A pelvic band and belt for use with a unilateral KAFO. Secured to the hip joint for control, custom fabricated.	1 unit = each, 2 per year.
ORT	L2640	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic control, band and belt, bilateral.	A pelvic band and belt for use with bilateral orthosis and is secured to both hip joints for control, custom fabricated.	1 unit = each, 2 per year.
ORT	L2650	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, pelvic and thoracic control, gluteal pad, each.	A specially designed pad that provides gluteal pressure for support and balance, custom fabricated.	1 unit = each, 2 per year.
ORT	L2660	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thoracic control, thoracic band.	A thoracic band added to bilateral KAFOs, pelvic band and paraspinal uprights to provide greater torso control.	1 unit = each, 2 per year.
ORT	L2670	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thoracic control, paraspinal uprights.		1 unit = each, 2 per year.
ORT	L2680	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity, thoracic control, lateral support uprights.	Lateral uprights between the pelvic and thoracic bands for greater control of the torso.	1 unit = each, 2 per year.
ORT	L2750	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, plating chrome or nickel, per bar.	This process provides a good protective finish to steel components.	1 unit = each, 4 per year.
ORT	L2755	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, high strength, lightweight material, all Hybrid lamination/prepreg composite, per segment, for custom fabricated orthosis only.		1 unit = each, 4 per year.
ORT	L2760	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth).	A method of providing length adjustment to an orthosis.	1 unit = each, 4 per year.
ORT	L2768	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Orthotic side bar disconnect device, per bar.		1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L2770	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, any material - per bar or joint.	Using stainless steel, carbon fiber, or titanium material provides a corrosion resistant finish and greater strength and durability to the orthosis.	1 unit = each, 8 per year.
ORT	L2780	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, non-corrosive finish, per bar.	Any type of finishing technique, other than plating, applied to a bar that resists corrosion or oxidation.	1 unit = each, 8 per year.
ORT	L2785	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, drop lock retainer, each.	A clip or a spring and steel ball inserted into a metal upright and designed to hold a drop lock in a locked or unlocked position.	1 unit = each, 4 per year.
ORT	L2795	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, knee control, full kneecap.	A free motion unicentric hip joint for KAFOs.	1 unit = each, 2 per year.
ORT	L2800	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only.	An anterior knee pad used with KO/KAFO to control flexion, and varus/valgus position of the knee, for use with custom fabricated orthoses.	1 unit = each, 2 per year.
ORT	L2810	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, knee control, condylar pad.	A padded rigid device to assist in providing lateral or medial pressure to the knee.	1 unit = each, 2 per year.
ORT	L2820	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, soft interface for molded plastic, below knee section.	A soft interface material for an AFO or calf section of a molded plastic orthosis.	1 unit = each, 8 per year.
ORT	L2830	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, soft interface for molded plastic, above knee section.	A soft interface material for the thigh section of a molded plastic orthosis.	1 unit = each, 8 per year.
ORT	L2840	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, tibial length sock, fracture or equal, each.	A special below knee sock interface that is worn with fracture orthosis.	1 unit = each, 6 per year.
ORT	L2850	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity orthosis, femoral length sock, fracture or equal, each.	A special full leg length sock interface that is worn with fracture orthosis.	1 unit = each, 6 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>	<div>* Subchapter 4 Prosthetics</div>	<div>* Error Codes and Explanations</div>							
				<div>* Subchapter 6 Orthotics</div>	<div>* Subchapter 6 Prosthetics</div>								
				<div>* Transmittal Letter ORT 20</div>	<div>* Transmittal Letter PRT 20</div>								
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L2860	ADDITIONS TO LOWER EXTREMITY ORTHOSES						RT LT	Sometimes	02 06 07	Addition to lower extremity joint, knee or ankle, concentric adjustable torsion style mechanism, each.	An addition to a lower extremity orthosis knee or ankle joint, to incorporate a concentric adjustable spring mechanism to apply a dynamic flexion or extension force.	1 unit = each, 8 per year.
ORT	L2999	ADDITIONS TO LOWER EXTREMITY ORTHOSES		AAC+50%				RT LT	Yes	02 06 07	Lower extremity orthoses, not otherwise specified.	Unlisted procedures for lower extremity orthoses	<u>Addition</u> , unlisted procedures for lower extremity orthotics (Pay by report) 1 unit = each workorder.
ORT	L3000	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, 'ucb' type, berkeley shell, each.		1 unit = each, 4 per year.
ORT	L3001	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, spenco, each.	A foot orthosis custom fabricated of plastic or leather, molded from a model of the patient, covered with spenco or equal material, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L3002	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, plastazote or equal, each.	A foot orthosis custom fabricated of a soft foam type plastic, molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L3003	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, silicone gel, each.	A foot orthosis custom fabricated of a silicone material, molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L3010	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, longitudinal arch support, each.	A foot orthosis custom fabricated of plastic or leather for longitudinal arch support, three quarter or full length, molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L3020	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, molded to patient model, longitudinal/metatarsal support, each.	A foot orthosis custom fabricated of plastic or leather for both longitudinal and metatarsal support, three quarter or full length, molded from a model of the patient, includes casting and cast preparation.	1 unit = each, 4 per year.
ORT	L3030	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, insert, removable, formed to patient foot, each.	A foot orthosis custom fabricated of a soft foam type plastic and molded directly to the patient.	1 unit = each, 4 per year.
ORT	L3031	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required	AAC+70%				RT LT	Sometimes	02 06 07	Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each.	The use of a high strength lightweight lamination in a foot orthosis or a lightweight composite plate, utilized as a foot orthosis.	1 unit = each, 4 per year.


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)			
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3040	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, removable, premolded, longitudinal, each.	A longitudinal arch foot orthosis, custom fitted and removable.	1 unit = each, 4 per year.
ORT	L3050	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, removable, premolded, metatarsal, each.	A metatarsal arch foot orthosis, custom fitted and removable	1 unit = each, 4 per year.
ORT	L3060	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, removable, premolded, longitudinal/ metatarsal, each.	A longitudinal and metatarsal arch foot orthosis, custom fitted and removable.	1 unit = each, 4 per year.
ORT	L3070	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, non-removable attached to shoe, longitudinal, each.	A longitudinal arch foot orthosis, custom fitted and attached into a shoe.	1 unit = each, 4 per year.
ORT	L3080	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, non-removable attached to shoe, metatarsal, each.	A metatarsal arch foot orthosis, custom fitted and attached into a shoe.	1 unit = each, 4 per year.
ORT	L3090	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each.	A longitudinal and metatarsal arch foot orthosis, custom fitted and attached into a shoe.	1 unit = each, 4 per year.
ORT	L3100	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Hallus-valgus night dynamic splint.	An orthosis to dynamically adduct the great toe.	1 unit = each, 2 per year.
ORT	L3140	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, abduction rotation bar, including shoes.	A bar and plates, attached to shoes which are included, that give internal or external rotation of the feet. The bar is available in different lengths for abduction.	1 unit = each, 2 per year.
ORT	L3150	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, abduction rotatation bar, without shoes.	A bar and clips, shoes are removable, that give internal or external rotation of the feet. The bar is available in different lengths for abduction. Shoes are not included.	1 unit = each, 2 per year.
ORT	L3160	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required	AAC +50%				RT LT	Sometimes	02 06 07	Foot, adjustable shoe-styled positioning device.	A pediatric two piece shoe where the forefoot and hind foot can be positioned independently for forefoot adduction or abduction. The two pieces have separate closures for control.	1 unit = each, 2 per year.
ORT	L3170	ORTHOPEDIC FOOT ORTHOTICS AND MODIFICATIONS	Shoe Form Required					RT LT	Sometimes	02 06 07	Foot, plastic, silicone or equal, heel stabilizer, each.	A prefabricated molded plastic, silicone, or equal heel support.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
				Description						Interpretive Description	Requirements & Limits		
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3201	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic shoe, oxford with supinator or pronator, infant.	This description covers two different types of shoes. The pronator shoe is an outflare, or reverse, shoe with lateral sole and heel wedges and the supinator shoe is an inflare, or exaggerated, shoe with medial sole and heel wedges.	1 unit = each, 6 per year.
ORT	L3202	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic shoe, oxford with supinator or pronator, child.	This description covers two different types of shoes. The pronator shoe is an outflare, or reverse, shoe with lateral sole and heel wedges and the supinator shoe is an inflare, or exaggerated, shoe with medial sole and heel wedges.	1 unit = each, 2 per year.
ORT	L3203	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic shoe, oxford with supinator or pronator, junior.		1 unit = each, 4 per year. (This code is difficult to describe as pronator and supinator shoes are generally not available nor are recommended for this age child.)
ORT	L3204	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic shoe, hightop with supinator or pronator, infant.	This description covers two different types of high top shoes. The pronator shoe is an outflare, or reverse, shoe with lateral sole and heel wedges and the supinator shoe is an inflare, or exaggerated, shoe with medial sole and heel wedges. Both are mostly available in open toe models.	1 unit = each, 2 per year.
ORT	L3206	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic shoe, hightop with supinator or pronator, child.	This description covers two different types of high top shoes. The pronator shoe is an outflare, or reverse, shoe with lateral sole and heel wedges and the supinator shoe is an inflare, or exaggerated, shoe with medial sole and heel wedges.	1 unit = each, 2 per year.
ORT	L3207	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic shoe, hightop with supinator or pronator, junior.		1 unit = each, 2 per year.
ORT	L3208	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Surgical boot, each, infant.	A high top shoe that laces to the toe for ease in donning and doffing and to accommodate changes in volume.	1 unit = each, 2 per year.
ORT	L3209	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Surgical boot, each, child.	A high top shoe that laces to the toe for ease in donning and doffing and to accommodate changes in volume.	1 unit = each, 2 per year.
ORT	L3211	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Surgical boot, each, junior.	A high top shoe that laces to the toe for ease in donning and doffing and to accommodate changes in volume.	1 unit = each, 2 per year.
ORT	L3212	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Benesch boot, pair, infant.	High top shoes that lace to the toe for ease in donning and doffing, separate internal lace system to hold the heel into the shoe, a clear plastic section in the back to see that the heel is in place.	1 unit = 1 pair, 1 per year.
ORT	L3213	ORTHOPEDIC FOOTWEAR, INSERTS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Benesch boot, pair, child.	High top shoes that lace to the toe for ease in donning and doffing, separate internal lace system to hold the heel into the shoe, and a clear plastic section in the back to see that the heel is in place.	1 unit = 1 pair, 1 per year.


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3214	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Sometimes	02 06 07	Benesch boot, pair, junior.	High top shoes that lace to the toe for ease in donning and doffing, separate internal lace system to hold the heel into the shoe, and a clear plastic section in the back to see that the heel is in place.	1 unit = 1 pair, 1 per year.
ORT	L3215	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic footwear, ladies shoe, oxford, each.	Ladies oxford style orthopedic shoe that has a firm heel counter extended on the medial side and a strong shank.	1 unit = each, 2 per year.
ORT	L3216	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic footwear, ladies shoe, depth inlay, each.	Ladies oxford style shoe that is deeper from insole to upper to accommodate deformed foot and/or foot orthosis.	1 unit = each, 2 per year.
ORT	L3217	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic footwear, ladies shoe, hightop, depth inlay, each.	Ladies high top style shoe that is deeper from insole to upper to accommodate deformed foot and/or foot orthosis.	1 unit = each, 2 per year.
ORT	L3219	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic footwear, mens shoe, oxford, each.	Men's oxford style orthopedic shoe that has a firm heel counter extended on the medial side and a strong shank.	1 unit = each, 2 per year.
ORT	L3221	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+50%				RT LT	Yes	02 06 07	Orthopedic footwear, mens shoe, depth inlay, each.	Men's oxford style shoe that is deeper from the insole to upper to accommodate deformed foot and/or foot orthosis.	1 unit = each, 2 per year.
ORT	L3222	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic footwear, mens shoe, hightop, depth inlay, each.	Men's high top shoe that is deeper from insole to upper to accommodate deformed foot and/or foot orthosis.	1 unit = each, 4 per year.
ORT	L3224	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis).	A woman's orthopedic oxford style shoe that is attached to an orthosis.	1 unit = each, 2 per year.
ORT	L3225	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis).	A man's orthopedic oxford style shoe that is attached to an orthosis.	1 unit = each, 2 per year.
ORT	L3230	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required	AAC+70%				RT LT	Yes	02 06 07	Orthopedic footwear, custom shoe, depth inlay, each.	Oxford style shoe that is custom fabricated from a model of the patient, is deeper from the insole to the upper to accommodate a severe deformed foot, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L3250	ORTHOPEDIC FOOTWEAR, MODIFICATIONS AND MODIFICATIONS	Shoe Form Required					RT LT	Yes	02 06 07	Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each.	Oxford style shoe that is custom fabricated from a model of the patient, has a removable custom fabricated insert designed for toe or distal partial foot amputation, includes casting and cast preparation.	1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L3251	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Foot, shoe molded to patient model, silicone shoe, each.	A custom fabricated shoe molded from a model of the patient, is lined with a silicone material, designed for sensitive feet and to accommodate pressure areas, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L3252	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>					RT LT	Yes	02 06 07	Foot, shoe molded to patient model, plastazote (or similar), custom fabricated, each.	A custom fabricated shoe molded from model of the patient, upper made of a foam plastic or like material, designed to accommodate pressure areas, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L3253	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+50%				RT LT	Yes	02 06 07	Foot, molded shoe plastazote (or similar) custom fitted, each.	A molded foam plastic shoe designed for temporary use of sensitive feet and pressure areas and is custom fitted.	1 unit = each, 2 per year.
ORT	L3254	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Non-standard size or width.	An addition to a shoe or shoes that is not a normal size or width.	1 unit = each, 2 per year.
ORT	L3255	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Non-standard size or length.	An addition to a shoe or shoes that is not a normal size or length.	1 unit = each, 2 per year.
ORT	L3257	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Orthopedic footwear, additional charge for split size.	An addition to shoes where the two shoes are of different sizes.	1 unit = each, 2 per year.
ORT	L3260	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Surgical boot/shoe, each.		1 unit = each, 2 per year.
ORT	L3265	ORTHOPEDIC FOOTWEAR, CASTS AND MODIFICATIONS	<div>Shoe Form Required</div>	AAC+50%				RT LT	Yes	02 06 07	Plastazote sandal, each.	A molded foam plastic sandal designed for temporary use of sensitive feet and pressure areas and is custom fitted.	1 unit = each, 2 per year.
ORT	L3300	SHOE MODIFICATIONS - LIFTS	<div>Shoe Form Required</div>					RT LT	Sometimes	02 06 07	Lift, elevation, heel, tapered to metatarsals, per inch.	An addition to a shoe that is a heel lift tapered to the metatarsal heads and is permanently attached.	1 unit = each, 4 per year.
ORT	L3310	SHOE MODIFICATIONS - LIFTS	<div>Shoe Form Required</div>					RT LT	Sometimes	02 06 07	Lift, elevation, heel and sole, neoprene, per inch.	An addition to a shoe that is a lift to the entire shoe and is permanently attached to the exterior of the shoe.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>				
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3320	SHOE MODIFICATIONS - LIFTS	Shoe Form Required					RT LT	Sometimes	02 06 07	Lift, elevation, heel and sole, cork, per inch.	An addition to a shoe that is a lift to the entire shoe, is made of cork covered with leather, a sole attached to the bottom, and is permanently attached.	1 unit = each, 4 per year.
ORT	L3330	SHOE MODIFICATIONS - LIFTS	Shoe Form Required					RT LT	Sometimes	02 06 07	Lift, elevation, metal extension (skate).	An addition to a shoe that is a lift to the entire shoe, is custom fabricated of metal to provide greater heights than is practical with other materials, can be permanently attached or with a skate type attachment.	1 unit = each, 4 per year.
ORT	L3332	SHOE MODIFICATIONS - LIFTS	Shoe Form Required					RT LT	Sometimes	02 06 07	Lift, elevation, inside shoe, tapered, up to one-half inch.	An addition to a shoe that is a heel lift, is tapered, removable, and used inside the shoe.	1 unit = each, 4 per year.
ORT	L3334	SHOE MODIFICATIONS - LIFTS	Shoe Form Required					RT LT	Sometimes	02 06 07	Lift, elevation, heel, per inch.	An addition to a shoe that is a heel lift and is permanently attached.	1 unit = each, 4 per year.
ORT	L3340	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel wedge, sach.	An addition to a shoe that is a posterior heel wedge of soft material, provides both shock absorpton and compression to allow the patient a more normal gait due to ankle or foot problems.	1 unit = each, 2 per year.
ORT	L3350	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel wedge.	An addition to a shoe that is a medial or lateral wedge placed at the heel.	1 unit = each, 2 per year.
ORT	L3360	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Sole wedge, outside sole.		1 unit = each, 2 per year.
ORT	L3370	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Sole wedge, between sole.	An addition to a shoe that is a medial or lateral sole wedge permanently attached to the outside of the sole.	1 unit = each, 2 per year.
ORT	L3380	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Clubfoot wedge.	An addition to a shoe that is a severe wedge placed to control some clubfoot conditions and is permanently attached.	1 unit = each, 2 per year.
ORT	L3390	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Outflare wedge.	An addition to a shoe that is a heel that is flared medially, laterally, or all around the heel, providing a greater surface on the floor to prevent medial or lateral motion of the ankle.	1 unit = each, 2 per year.
ORT	L3400	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Metatarsal bar wedge, rocker.	An addition to a shoe that is a rocker sole which causes most of the weight to be taken behind the metatarsal heads.	1 unit = each, 2 per year.
ORT	L3410	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Metatarsal bar wedge, between sole.	An addition to a shoe that is a type of metatarsal bar that is placed between sole layers.	1 unit = each, 2 per year.
ORT	L3420	WEDGES	Shoe Form Required					RT LT	Sometimes	02 06 07	Full sole and heel wedge, between sole.	An addition to a shoe that is a medial or lateral sole and heel wedge permanently attached between the inner and outer soles.	1 unit = each, 2 per year.
ORT	L3430	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, counter, plastic reinforced.	An addition to a shoe that is a firm plastic heel counter that is permanently attached.	1 unit = each, 2 per year.
ORT	L3440	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, counter, leather reinforced.	An addition to a shoe that is a firm leather heel counter that is permanently attached.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)			
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
Description											Interpretive Description	Requirements & Limits	
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
ORT	L3450	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, sach cushion type.	An addition to a shoe that is a new heel, has a heel wedge of soft material to provide both shock absorption and compression to allow the patient a more normal gait due to ankle or foot problems. This can be placed in a posterior, medial, or lateral position.	1 unit = each, 2 per year.
ORT	L3455	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, new leather, standard.	An addition or replacement to a shoe that is a new leather heel.	1 unit = each, 2 per year.
ORT	L3460	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, new rubber, standard.	An addition or replacement to a shoe that is a new rubber heel.	1 unit = each, 2 per year.
ORT	L3465	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, thomas with wedge.	An addition or replacement to a shoe that is a new heel that has an extension under the medial section.	1 unit = each, 2 per year.
ORT	L3470	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, thomas extended to ball.	An addition or replacement to a shoe that is a new heel that has an extension that goes to the first metatarsal area.	1 unit = each, 2 per year.
ORT	L3480	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, pad and depression for spur.	An addition to a shoe that is a heel pad with a cutout or depression to relieve pressure on a specific spot and is permanently attached.	1 unit = each, 2 per year.
ORT	L3485	HEELS	Shoe Form Required					RT LT	Sometimes	02 06 07	Heel, pad, removable for spur.	An addition to a shoe that is a heel pad with a cutout or depression to relieve pressure on a specific spot and is removable.	1 unit = each, 2 per year.
ORT	L3500	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, insole, leather.	An addition to a shoe that is a full leather insole.	1 unit = each, 4 per year.
ORT	L3510	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, insole, rubber.	An addition to a shoe that is a full rubber or like material insole.	1 unit = each, 4 per year.
ORT	L3520	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, insole, felt covered with leather.	An addition to a shoe that is a full insole of leather covered felt.	1 unit = each, 4 per year.
ORT	L3530	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, sole, half.	An addition to a shoe that is a half sole.	1 unit = each, 4 per year.
ORT	L3540	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, sole, full.	An addition to a shoe that is a full sole.	1 unit = each, 4 per year.
ORT	L3550	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, toe tap standard.	An addition or replacement to a shoe that is a metal toe piece used to reduce wear.	1 unit = each, 4 per year.
ORT	L3560	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, toe tap, horseshoe.	An addition or replacement to a shoe that is a metal horseshoe design toe piece used to reduce wear.	1 unit = each, 4 per year.
ORT	L3570	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	Shoe Form Required					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, special extension to instep (leather with eyelets).	An addition to a shoe that is an extension piece added to the existing lace area to allow for severe high insteps or deformities.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L3580	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	<div>Shoe Form Required</div>					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, convert instep to velcro closure.	An addition to a shoe that is addition of straps with Velcro to replace laces.	1 unit = each, 4 per year.
ORT	L3590	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	<div>Shoe Form Required</div>					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, convert firm shoe counter to soft counter.	An addition to a shoe that is replacing the firm counter with a soft counter.	1 unit = each, 4 per year.
ORT	L3595	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	<div>Shoe Form Required</div>					RT LT	Sometimes	02 06 07	Orthopedic shoe addition, march bar.	An addition to a shoe that is an elevation placed behind the metatarsal heads to relieve pressure.	1 unit = each, 4 per year.
ORT	L3600	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS						RT LT	Sometimes	02 06 07	Transfer of an orthosis from one shoe to another, caliper plate, existing.	Removal of a caliper plate from a shoe and application to another shoe.	1 unit = each, 4 per year.
ORT	L3610	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS						RT LT	Sometimes	02 06 07	Transfer of an orthosis from one shoe to another, caliper plate, new.	Application of a new caliper plate to a shoe.	1 unit = each, 4 per year.
ORT	L3620	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS						RT LT	Sometimes	02 06 07	Transfer of an orthosis from one shoe to another, solid stirrup, existing.	Removal of a solid stirrup from a shoe and application to another shoe.	1 unit = each, 4 per year.
ORT	L3630	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS						RT LT	Sometimes	02 06 07	Transfer of an orthosis from one shoe to another, solid stirrup, new.	Application of a new solid stirrup to a shoe.	1 unit = each, 4 per year.
ORT	L3640	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS						RT LT	Sometimes	02 06 07	Transfer of an orthosis from one shoe to another, dennis browne splint (riveton), both shoes.	Removal of a Dennis Browne splint from both shoes and application to new shoes.	1 unit = each, 4 per year.
ORT	L3649	MISCELLANEOUS SHOE ADDITIONS OR TRANSFERS	<div>Shoe Form Required</div>	AAC+70%				RT LT	Yes	02 06 07	Orthopedic shoe, modification, addition or transfer, not otherwise specified.		1 unit = each, 2 per year.
ORT	L3650	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, figure of eight design abduction restrainer, prefabricated, includes fitting and adjustment.	A simple abduction restraining orthosis used to protect the shoulder joint, custom fitted.	1 unit = each, 2 per year.
ORT	L3651	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, single shoulder, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 2 per year.
ORT	L3652	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, double shoulder, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 2 per year.
ORT	L3660	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, figure of eight design abduction restrainer, canvas and webbing, prefabricated, includes fitting and adjustment.	An abduction restraining orthosis used to protect the shoulder joint, custom fitted.	1 unit = each, 2 per year.
ORT	L3670	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, includes fitting and adjustment.	An orthosis used to pull together the acromio/clavicular joint, custom fitted.	1 unit = each, 2 per year.
ORT	L3671	SHOULDER ORTHOSIS						RT LT	Sometimes	02 06 07	Shoulder orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid shoulder cap design, custom fabricated, may include soft interface.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3672	SHOULDER ORTHOSSES						RT LT	Sometimes	02 06 07	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid airplane design with thoracic component and support bar, custom fabricated, may include soft interface.	1 unit = each, 2 per year.
ORT	L3673	SHOULDER ORTHOSSES						RT LT	Sometimes	02 06 07	Shoulder orthosis, abduction positioning (airplane design), thoracic component and support bar, includes nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable airplane design with thoracic component and support bar, custom fabricated, may include soft interface.	1 unit = each, 2 per year.
ORT	L3675	SHOULDER ORTHOSSES						RT LT	Sometimes	02 06 07	Shoulder orthosis, vest type abduction restrainer, canvas webbing type or equal, prefabricated, includes fitting and adjustment.	A vest style orthosis which limits shoulder abduction, made of canvas or similar material, custom fabricated.	1 unit = each, 2 per year.
ORT	L3677	SHOULDER ORTHOSSES		AAC+50%				RT LT	Sometimes	02 06 07	Shoulder orthosis, hard plastic, shoulder stabilizer, pre-fabricated, includes fitting and adjustment.	A vest style orthosis which limits shoulder abduction, made of hard plastic, prefabricated.	1 unit = each, 2 per year.
ORT	L3700	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, elastic with stays, prefabricated, includes fitting and adjustment.	An elastic compression sleeve for elbow support that has stays and is custom fitted.	1 unit = each, 2 per year.
ORT	L3701	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 2 per year.
ORT	L3702	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid EO, custom fabricated, may include soft interface.	1 unit = each, 4 per year
ORT	L3710	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, elastic with metal joints, prefabricated, includes fitting and adjustment.	This is designed to provide mild medial-lateral support of the elbow, is an elastic compression sleeve, has bilateral unicentric free motion joints, and is custom fitted.	1 unit = each, 2 per year.
ORT	L3720	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom-fabricated.	This is designed to provide control of the elbow, has upper and lower arm sections of leather or plastic, bilateral unicentric free motion joints, and is custom fabricated.	1 unit = each, 2 per year.
ORT	L3730	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, double upright with forearm/arm cuffs, extension/ flexion assist, custom-fabricated.	This is designed to provide two functions, control of the elbow and flexion or extension assistance, it has upper and lower arm sections of leather or plastic, bilateral unicentric free motion joints, a unilateral spring device at a joint, and is custom fabricated.	1 unit = each, 2 per year.
ORT	L3740	ELBOW ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom-fabricated.	This orthosis is designed to provide control and function to a flail or weak elbow, it has upper and lower arm sections of leather or plastic, bilateral unicentric joints (one of which is lockable at various levels of flexion), a shoulder harness assembly with a cable used to activate the elbow lock, custom fabricated.	1 unit = each, 4 per year
ORT	L3760	ELBOW - WRIST - HAND ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, with adjustable position locking joint(s), prefabricated, includes fitting and adjustments, any type.	This orthosis is designed to control the elbow. It has upper and lower arm sections, adjustable locking joint(s), custom fitted.	1 unit = each, 2 per year.
ORT	L3762	ELBOW - WRIST - HAND ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow orthosis, rigid, without joints, includes soft interface material, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3763	ELBOW - WRIST - HAND ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid EWHO, custom fabricated, may include soft interface.	1 unit = each, 4 per year
ORT	L3764	ELBOW - WRIST - HAND ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable EWHO, custom fabricated, may include soft interface.	1 unit = each, 4 per year
ORT	L3765	ELBOW - WRIST - HAND - FINGER ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid EWHFO, custom fabricated, may include soft interface.	1 unit = each, 4 per year


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3766	ELBOW - WRIST - HAND - FINGER ORTHOSSES						RT LT	Sometimes	02 06 07	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable EWHFO, custom fabricated, may include soft interface.	1 unit = each, 4 per year
ORT	L3806	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface material, straps, custom fabricated, includes fitting and adjustment.	A dynamic WHFO including one or more non-torsion joints, may include soft lining, custom fabricated.	1 unit = each, 4 per year
ORT	L3807	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, without joint(s), prefabricated, includes fitting and adjustments, any type.	A wrist hand and finger orthosis, volar resting or positioning type, custom fitted.	1 unit = each, 4 per year
ORT	L3808	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, rigid without joints, may include soft interface material, straps, custom fabricated, includes fitting and adjustment.	A static WHFO used to support the wrist, hand, and fingers, may include a soft interface, custom fabricated.	1 unit = each, 4 per year
ORT	L3900	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, wrist or finger driven, custom-fabricated.	This orthosis is designed to control the entire hand, provides gripping action by extension of the wrist or flexion of the fingers, has unicentric joints at the MP and wrist, has an adjustable rod for different grips, custom fabricated.	1 unit = each, 2 per year.
ORT	L3901	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, cable driven, custom-fabricated.	This orthosis is designed to control the entire hand, provides gripping action via cable from shoulder motion, has unicentric joints at the MP and wrist, has adjustments for different grips, custom fabricated.	1 unit = each, 2 per year.
ORT	L3904	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, external powered, electric, custom-fabricated.	This orthosis is designed to control the entire hand, provides gripping action via a cable and an electric powered system, has unicentric joints at the MP and wrist, custom fabricated.	1 unit = each, 2 per year.
ORT	L3905	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic WHO, custom fabricated, may include soft interface.	1 unit = each, 4 per year
ORT	L3906	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A molded plastic or leather orthosis designed to immobilize the wrist joint, custom fabricated. May include soft interface.	1 unit = each, 4 per year
ORT	L3908	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, includes fitting and adjustment.	An orthosis designed to provide support to the wrist joint, non molded, custom fitted.	1 unit = each, 2 per year.
ORT	L3909	WRIST ORTHOSSES						RT LT	Sometimes	02 06 07	Wrist orthosis, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 2 per year.
ORT	L3911	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, elastic, prefabricated, includes fitting and adjustment (e.g. neoprene, lycra).		1 unit = each, 2 per year.
ORT	L3912	WRIST - HAND - FINGERS AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand finger orthosis, flexion glove with elastic finger control, prefabricated, includes fitting and adjustment.	An orthosis designed to hold the DIP, PIP, and MP joints in flexion, custom fitted.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3913	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid, HFO, custom fabricated and may include soft interface.	1 unit = each, 2 per year.
ORT	L3915	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand orthosis, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated, includes fitting and adjustment.	A dynamic WHO including one or more non-torsion joints, may include soft interface, prefabricated.	1 unit = each, 2 per year
ORT	L3917	WRIST - HAND - FINGER ORTHOSES						RT LT	Sometimes	02 06 07	Hand orthosis, metacarpal fracture orthosis, prefabricated, includes fitting and adjustment.	An orthosis designed to hold the metacarpals in proper alignment for healing, custom fitted.	1 unit = each, 2 per year.
ORT	L3919	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid, HO, custom fabricated and may include soft interface.	1 unit = each, 4 per year
ORT	L3921	HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic, HFO, custom fabricated and may include soft interface.	1 unit = each, 4 per year
ORT	L3923	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand finger orthosis, without joints, may include soft interface, straps, prefabricated, includes fitting and adjustment.	This orthosis is designed to maintain both the transverse and longitudinal arches of the hand, hold the thumb in a functional position, custom fitted. May include soft interface.	1 unit = each, 2 per year.
ORT	L3925	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), nontorsion joint/spring, extension/flexion, may include soft interface material prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3927	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS		AAC+50%				RT LT	Sometimes	02 06 07	Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g. static or ring type), may include soft interface material, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3929	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3931	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3933	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Finger orthosis, without joints, may include soft interface, custom fabricated, includes fitting and adjustment.	A static/rigid Finger Orthosis, custom fabricated, may include soft interface	1 unit = each, 2 per year.
ORT	L3935	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Finger orthosis, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment.	A Finger Orthosis, static, custom fabricated, may have soft interface	1 unit = each, 2 per year.
ORT	L3956	WRIST - HAND - FINGER ORTHOSES AND ADDITIONS		AAC+50%				RT LT	Sometimes	02 06 07	Addition of joint to upper extremity orthosis, any material; per joint.	The incorporation of a joint into an upper extremity orthosis where the base code does not include an articulation.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines										
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits		
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3960	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand orthosis, abduction positioning, airplane design, prefabricated, includes fitting and adjustment.	An orthosis designed to hold the shoulder in an abducted position, custom fitted.	1 unit = each, 2 per year.
ORT	L3961	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid shoulder cap design SEWHO custom fabricated and may include soft interface.	1 unit = each, 2 per year.
ORT	L3962	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand orthosis, abduction positioning, erbs palsey design, prefabricated, includes fitting and adjustment.	An orthosis designed to hold the shoulder in an abducted position with the forearm vertical and internally rotated for the treatment of Erbs Palsy, custom fitted.	1 unit = each, 2 per year.
ORT	L3967	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid Airplane Design SEWHO, with thoracic component and support bar, custom fabricated and may include soft interface.	1 unit = each, 2 per year.
ORT	L3968	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow orthosis, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints), prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3969	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow orthosis, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
ORT	L3970	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Seo, addition to mobile arm support, elevating proximal arm.		1 unit = each, 2 per year.
ORT	L3971	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS							RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable shoulder cap design SEWHO custom fabricated and may include soft interface.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines								
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
ORT	L3972	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Seo, addition to mobile arm support, offset or lateral rocker arm with elastic balance control.	1 unit = each, 2 per year.
ORT	L3973	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Shoulder Elbow Wrist Hand Orthosis, Abduction Positioning (Airplane Design), Thoracic Component and Support Bar, includes One or more Nontorsion Joints, Elastic Bands, Turnbuckles, may include Soft Interface, Straps, Custom Fabricated, Includes Fitting And Adjustment.	A dynamic/static adjustable airplane design SEWHO, with thoracic component and support bar, custom fabricated and may include soft interface. 1 unit = each, 2 per year.
ORT	L3974	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Seo, addition to mobile arm support, supinator.	1 unit = each, 2 per year.
ORT	L3975	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid shoulder cap design SEWHFO custom fabricated and may include soft interface. 1 unit = each, 2 per year.
ORT	L3976	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A static/rigid airplane design SEWHFO, with thoracic component and support bar, custom fabricated and may include soft interface. 1 unit = each, 2 per year.
ORT	L3977	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable shoulder cap design SEWHFO custom fabricated and may include soft interface. 1 unit = each, 2 per year.
ORT	L3978	SHOULDER - ELBOW - WRIST - HAND ORTHOSES AND ADDITIONS						RT LT	Sometimes	02 06 07	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.	A dynamic/static adjustable airplane Design SEWHFO, with thoracic component and support bar, custom fabricated and may include soft interface. 1 unit = each, 2 per year.
ORT	L3980	FRACTURE ORTHOSES - UPPER EXTREMITY						RT LT	Sometimes	02 06 07	Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment.	An orthosis used for fractures of the Humerus, custom fitted. 1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
ORT	L3982	FRACTURE ORTHOSES - UPPER EXTREMITY						RT LT	Sometimes	02 06 07	Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment.	An orthosis used for fractures of the Radius or Ulna, custom fitted.	1 unit = each, 2 per year.
ORT	L3984	FRACTURE ORTHOSES - UPPER EXTREMITY						RT LT	Sometimes	02 06 07	Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment.	An orthosis used for fractures at the wrist, custom fitted.	1 unit = each, 2 per year.
ORT	L3995	FRACTURE ORTHOSES - UPPER EXTREMITY						RT LT	Sometimes	02 06 07	Addition to upper extremity orthosis, sock, fracture or equal, each.	An addition to an upper extremity fracture orthosis, a special sock that is used as an interface between the arm and the orthosis.	1 unit = each, 2 per year.
ORT	L3999	FRACTURE ORTHOSES - UPPER EXTREMITY		AAC+50%				RT LT	Yes	02 06 07	Upper limb orthosis, not otherwise specified.		Upper limb orthosis, not otherwise specified (Pay by report) 1 unit=each workorder
ORT	L4000	REPLACEMENT PARTS - ORTHOSES							Sometimes	02 06 07	Replace girdle for spinal orthosis (ctlso or so).	Replacement of a molded plastic or leather pelvic girdle for a Milwaukee spinal orthosis, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 1 per year.
ORT	L4002	REPLACEMENT PARTS - ORTHOSES		AAC +70%				RT LT	Sometimes	02 06 07	Replacement strap, any orthosis, includes all components, any length, any type.	A strap used to replace the disfunctional strap on an orthosis, includes all necessary attachment componentry.	1 unit = each, 12 per year.
ORT	L4010	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace trilateral socket brim.	Replacement of a molded plastic Ischial weight bearing socket of trilateral design for a KAFO, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 1 per year.
ORT	L4020	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace quadrilateral socket brim, molded to patient model.	Replacement of a molded plastic Ischial weight bearing socket of quadrilateral design for a KAFO, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L4030	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace quadrilateral socket brim, custom fitted.	Replacement of a plastic Ischial weight bearing socket for a KAFO and custom fitted.	1 unit = each, 2 per year.
ORT	L4040	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace molded thigh lacer, for custom fabricated orthosis only.	Replacement of a molded leather or plastic thigh lacer or corset for a KAFO, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L4045	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace non-molded thigh lacer, for custom fabricated orthosis only.	Replacement of a leather or plastic thigh lacer or corset for a KAFO, custom to measurement, custom fitted.	1 unit = each, 2 per year.
ORT	L4050	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace molded calf lacer, for custom fabricated orthosis only.	Replacement of a molded leather or plastic calf lacer or corset for a KAFO or AFO, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L4055	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace non-molded calf lacer, for custom fabricated orthosis only.	Replacement of a leather or plastic calf lacer or corset for a KAFO or AFO, custom to measurement, custom fitted.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L4060	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace high roll cuff.	Replacement of a leather or plastic high roll design thigh lacer or corset for a KAFO, custom fitted.	1 unit = each, 4 per year.
ORT	L4070	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace proximal and distal upright for kafo.	Replacement of a single proximal and distal upright for a KAFO and is custom fit to the existing joint section	1 unit = each, 2 per year.
ORT	L4080	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace metal bands kafo, proximal thigh.	Replacement of a metal proximal thigh band for a KAFO, and is custom fabricated.	1 unit = each, 2 per year.
ORT	L4090	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace metal bands kafo-afo, calf or distal thigh.	Replacement of a metal distal thigh or calf band for a KAFO or AFO and is custom fabricated.	1 unit = each, 2 per year.
ORT	L4100	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace leather cuff kafo, proximal thigh.	Replacement of a leather cuff for proximal thigh for a KAFO, custom fabricated.	1 unit = each, 2 per year.
ORT	L4110	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace leather cuff kafo-afo, calf or distal thigh.	Replacement of a leather cuff for distal thigh or calf band for a KAFO or AFO custom fabricated.	1 unit = each, 2 per year.
ORT	L4130	REPLACEMENT PARTS - ORTHOSES						RT LT	Sometimes	02 06 07	Replace pretibial shell.	Replacement of a molded plastic pretibial shell for a KAFO, custom fabricated from a model of the patient, includes casting and cast preparation.	1 unit = each, 2 per year.
ORT	L4205	REPAIRS - ORTHOSES						RT LT	Sometimes	02 06 07	Repair of orthotic device, labor component, per 15 minutes.	Fifteen minute labor code for orthotic repairs.	Fifteen minute labor code for orthotic repairs Pay by report).
ORT	L4210	REPAIRS - ORTHOSES		AAC + 70%				RT LT	Sometimes	02 06 07	Repair of orthotic device, repair or replace minor parts.	Repair or replacement of minor parts on orthosis.	Repair or replacement of minor parts on orthosis (Pay by report)
ORT	L4350	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, includes fitting and adjustment.	An orthosis of rigid plastic with an interface to support the ankle and is prefabricated.	1 unit = each, 2 per year.
ORT	L4360	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Walking boot, pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment.	An orthosis of rigid plastic with a rocker sole, air bladder insert(s) to support the foot and ankle, with or without joints, and is prefabricated.	1 unit = each, 2 per year.
ORT	L4370	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Pneumatic full leg splint, prefabricated, includes fitting and adjustment.	An orthosis of rigid plastic with air bladder inserts to support the lower leg and is custom fitted.	1 unit = each, 2 per year.
ORT	L4380	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Pneumatic knee splint, prefabricated, includes fitting and adjustment.	An orthosis of rigid plastic with air bladder inserts to support the knee and is custom fitted.	1 unit = each, 2 per year.
ORT	L4386	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment.	An orthosis of rigid plastic with a rocker sole, with or without interface, to support the foot and ankle, with or without joints, and is custom fitted	1 unit = each, 2 per year.
ORT	L4392	MISCELLANEOU S ORTHOSES						RT LT	Sometimes	02 06 07	Replacement, soft interface material, static afo.	Replacement of the soft interface lining of a static AFO.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>	<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>							
			<div>* Subchapter 6 Orthotics</div>	<div>* Subchapter 6 Prosthetics</div>									
			<div>* Transmittal Letter ORT 20</div>	<div>* Transmittal Letter PRT 20</div>									
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
ORT	L4394	MISCELLANEOUS ORTHOSES						RT LT	Sometimes	02 06 07	Replace soft interface material, foot drop splint.	Replacement of the soft interface lining of a foot drop splint	1 unit = each, 2 per year.
ORT	L4396	MISCELLANEOUS ORTHOSES						RT LT	Sometimes	02 06 07	Static ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, pressure reduction, may be used for minimal ambulation, prefabricated, includes fitting and adjustment.	A prefabricated static AFO for positioning, pressure reduction, and minimal ambulation that includes a soft interface.	1 unit = each, 2 per year.
ORT	L4398	MISCELLANEOUS ORTHOSES						RT LT	Sometimes	02 06 07	Foot drop splint, recumbent positioning device, prefabricated, includes fitting and adjustment.		1 unit = each, 2 per year.
PRT	L5000	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial foot, shoe insert with longitudinal arch, toe filler.	A custom fabricated prosthesis consisting of a rigid or semi-rigid sole and a toe filler. The shoe holds the foot into the prosthesis.	1 unit = each, 2 per year.
PRT	L5010	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial foot, molded socket, ankle height, with toe filler.	A custom fabricated prosthesis consisting of a rigid or semi-rigid sole and a toe filler and is ankle high for more ankle support.	1 unit = each, 2 per year.
PRT	L5020	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial foot, molded socket, tibial tubercle height, with toe filler.	A custom fabricated prosthesis consisting of a rigid or semi-rigid sole and a toe filler and is at tibial tubercle level for maximum support.	1 unit = each, 2 per year.
PRT	L5050	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Ankle, symes, molded socket, sach foot.	A Symes prosthesis that is custom fabricated and utilizes special styles of SACH feet.	1 unit = each, 2 per year.
PRT	L5060	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Ankle, symes, metal frame, molded leather socket, articulated ankle/foot.	A prosthesis for an ankle disarticulation amputee. Custom molded of leather with a metal frame and a single axis foot.	1 unit = each, 2 per year.
PRT	L5100	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below knee, molded socket, shin, sach foot.	A transtibial prosthesis consisting of any molded socket design, exoskeletal shin, and SACH foot.	1 unit = each, 2 per year.
PRT	L5105	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below knee, plastic socket, joints and thigh lacer, sach foot.	A transtibial prosthesis consisting of any socket design, exoskeletal shin, single axis knee joints, thigh support, and SACH foot.	1 unit = each, 2 per year.
PRT	L5150	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Knee disarticulation (or through knee), molded socket, external knee joints, shin, sach foot.	A knee disarticulation prosthesis with external single axis knee joints, exoskeletal shin, and SACH foot.	1 unit = each, 2 per year.
PRT	L5160	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, sach foot.	A knee disarticulation type of prosthesis with external single axis knee joints, exoskeletal shin, and SACH foot. This is used for a very short BK residual limb or one that has a severe contraction such that a conventional BK prosthesis could not be used. It uses a bent knee configuration.	1 unit = each, 2 per year.
PRT	L5200	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above knee, molded socket, single axis constant friction knee, shin, sach foot.	A trans-femoral prosthesis consisting of a molded socket design, constant friction knee, exoskeletal construction, and SACH foot.	1 unit = each, 2 per year.
PRT	L5210	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above knee, short prosthesis, no knee joint ('stubbies'), with foot blocks, no ankle joints, each.	A trans-femoral prosthesis, consisting of a molded socket design, no knee or ankle joints. It is used when a person has bilateral amputations.	1 unit = each, 2 per year.
PRT	L5220	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above knee, short prosthesis, no knee joint ('stubbies'), with articulated ankle/foot, dynamically aligned, each.	A trans-femoral prosthesis consisting of a molded socket design, no knee joints, single axis foot. It is used when a person has bilateral amputations.	1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines										
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)					
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
											Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup							
PRT	L5230	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above knee, for proximal femoral focal deficiency, constant friction knee, shin, sach foot.	A trans-femoral prosthesis consisting of an unusually shaped socket to fit a congenitally malformed limb, constant friction knee, exoskeletal shin construction, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5250	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hip disarticulation, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot.	A hip disarticulation prosthesis consisting of a molded socket, Canadian style hip joint, single axis constant friction knee joint, exoskeletal thigh and shin sections, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5270	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, sach foot.	A hip disarticulation prosthesis consisting of a molded socket, tilt table type of locking hip joint, single axis constant friction knee joint, exoskeletal thigh and shin sections, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5280	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hemipelvectomy, canadian type; molded socket, hip joint, single axis constant friction knee, shin, sach foot.	A hemipelvectomy prosthesis consisting of a molded socket, Canadian style hip joint, single axis constant friction knee, exoskeletal thigh and shin sections, SACH foot.	1 unit = each, 2 per year.	
PRT	L5301	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below knee, molded socket, shin, sach foot, endoskeletal system.	A trans-tibial prosthesis consisting of any socket design, endoskeletal non-alignable system, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5311	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Knee disarticulation (or through knee), molded socket, external knee joints, shin, sach foot, endoskeletal system.	A knee disarticulation prosthesis with external single axis knee joints, endoskeletal non-alignable system, SACH foot.	1 unit = each, 2 per year.	
PRT	L5321	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee.	A trans-femoral prosthesis consisting of an open end molded socket, non-alignable endoskeletal system, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5331	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot.	A hip disarticulation prosthesis consisting of a molded socket, Canadian style hip joint, endoskeletal non-alignable system, single axis knee joint, and SACH foot.	1 unit = each, 2 per year. A hip disarticulation prosthesis consisting of a molded socket, Canadian style hip joint, endoskeletal non-alignable system, single axis knee joint and SACH foot.	
PRT	L5341	LOWER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot.	A hemipelvectomy prosthesis consisting of a molded socket, Canadian style hip joint, endoskeletal non-alignable system, single axis knee joint, and SACH foot.	1 unit = each, 2 per year.	
PRT	L5400	IMMEDIATE-EARLY-INITIAL-PROSTHESES-LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee.	A trans-tibial prosthesis that is applied in the post-op period consisting of a direct formed socket, attachment of a pylon, special SACH foot, static alignment, and waist belt or supracondylar cuff for suspension. Includes one change of direct formed socket.	1 unit = each, 2 per year.	
PRT	L5410	IMMEDIATE-EARLY-INITIAL-PROSTHESES-LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment.		1 unit = each, 2 per year. This is the removal and reapplication of L5400 so the physician can view the wound and because the residual limb has shrunk.	
PRT	L5420	IMMEDIATE-EARLY-INITIAL-PROSTHESES-LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change 'ak' or knee disarticulation.	A trans-femoral prosthesis that is applied in the post-op period consisting of a direct formed socket, unicentric knee, attachment of a pylon, SACH foot, static alignment, and suspension.	1 unit = each, 2 per year.	
PRT	L5430	IMMEDIATE-EARLY-INITIAL-PROSTHESES-LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing, incl. Fitting, alignment and supension, 'ak' or knee disarticulation, each additional cast change and realignment.		1 unit = each, 2 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5450	IMMEDIATE-EARLY-INITIAL-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, below knee.	A trans-tibial non-weight bearing post-op rigid dressing.	1 unit = each, 2 per year.
PRT	L5460	IMMEDIATE-EARLY-INITIAL-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, above knee.		1 unit = each, 2 per year. A non-weightbearing trans-femoral post-op rigid dressing.
PRT	L5500	IMMEDIATE-EARLY-INITIAL-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Initial, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed.		1 unit = each, 2 per year.
PRT	L5505	IMMEDIATE-EARLY-INITIAL-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Initial, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, direct formed.	An initial trans-femoral or knee disarticulation prosthesis that has a socket made of casting material formed directly over the residual limb, a unicentric knee, pylon, SACH foot, and static alignment.	1 unit = each, 2 per year.
PRT	L5510	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model.	A preparatory trans-tibial prosthesis that has a PTB socket made of casting material that is made over a positive model of the residual limb, pylon, SACH foot, includes casting, cast preparation, and static alignment.	1 unit = each, 2 per year.
PRT	L5520	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed.	A preparatory trans-tibial prosthesis that has a PTB socket made of a thermoformable material that is direct molded over the residual limb, attachment of pylon, SACH foot, and static alignment.	1 unit = each, 2 per year.
PRT	L5530	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model.	A preparatory trans-tibial prosthesis that has a PTB socket made of a thermoformable material that is molded over a model of the residual limb, attachment of pylon, SACH foot.	1 unit = each, 2 per year.
PRT	L5535	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, below knee 'ptb' type socket, non-alignable system, no cover, sach foot, prefabricated, adjustable open end socket.	A preparatory trans-tibial prosthesis, adjustable premade open end PTB type socket, attachment of pylon, SACH foot, and static alignment.	1 unit = each, 2 per year.
PRT	L5540	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, below knee 'ptb' type socket, non-alignable system, pylon, no cover, sach foot, laminated socket, molded to model.	A preparatory trans-tibial prosthesis, PTB type laminated socket that is formed over a model of the residual limb, attachment of pylon, SACH foot.	1 unit = each, 2 per year.
PRT	L5560	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, above knee- knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, plaster socket, molded to model.	A preparatory trans-femoral or knee disarticulation prosthesis, Ischial level socket of casting material molded over a model of the residual limb, attachment of a unicentric knee, pylon, SACH foot.	1 unit = each, 2 per year.
PRT	L5570	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, direct formed.	A preparatory trans-femoral or knee disarticulation prosthesis, Ischial level socket made of a thermoformable material direct molded over the residual limb, attachment of a unicentric knee, pylon, SACH foot, and static alignment.	1 unit = each, 2 per year.
PRT	L5580	PREPARATORY-PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon, no cover, sach foot, thermoplastic or equal, molded to model.	A preparatory trans-femoral or knee disarticulation prosthesis, Ischial level rigid socket made of a thermoformable material molded over a model of the residual limb, attachment of a unicentric knee, pylon, SACH foot.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
				Description					Interpretive Description		Requirements & Limits		
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5585	PREPARATORY PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, above knee - knee disarticulation, ischial level socket, non-alignable system, pylon, no cover, sach foot, prefabricated adjustable open end socket.	A preparatory trans-femoral or knee disarticulation prosthesis, prefabricated adjustable open end Ischial level socket, attachment of a unicentric knee, pylon, SACH foot.	1 unit = each, 2 per year.
PRT	L5590	PREPARATORY PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, above knee - knee disarticulation ischial level socket, non-alignable system, pylon no cover, sach foot, laminated socket, molded to model.	A preparatory trans-femoral or knee disarticulation prosthesis, rigid laminated socket molded over a model of the residual limb, attachment of a unicentric knee, pylon, SACH foot.	1 unit = each, 2 per year.
PRT	L5595	PREPARATORY PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, thermoplastic or equal, molded to patient model.	A preparatory hip disarticulation or hemipelvectomy prosthesis, rigid socket made of a thermoformable material molded over a model of the residual limb, hip joint, thigh and shin pylon, unicentric knee joint, SACH foot.	1 unit = each, 2 per year.
PRT	L5600	PREPARATORY PROSTHESES - LOWER LIMB						RT LT	Sometimes	02 06 07	Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, sach foot, laminated socket, molded to patient model.	A preparatory hip disarticulation or hemipelvectomy prosthesis, rigid laminated socket, hip joint, thigh and shin pylon, unicentric knee joint, SACH foot.	1 unit = each, 2 per year.
PRT	L5610	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, endoskeletal system, above knee, hydracadence system.		1 unit = each, 2 per year. Addition
PRT	L5611	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, endoskeletal system, above knee - knee disarticulation, 4 bar linkage, with friction swing phase control.		1 unit = each, 2 per year.
PRT	L5613	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control.		1 unit = each, 2 per year.
PRT	L5614	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control.		1 unit = each, 2 per year.
PRT	L5616	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control.	This knee frame has a unicentric axis and a friction swing phase control, but is universal to many other types of knee control units.	1 unit = each, 2 per year.
PRT	L5617	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity, quick change self-aligning unit, above knee or below knee, each.	A device that allows the distal section to be quickly disconnected and reconnected when desired without loss of alignment.	1 unit = each, 4 per year.
PRT	L5618	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, symes.		1 unit = each, 4 per year.
PRT	L5620	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, below knee.		1 unit = each, 4 per year.
PRT	L5622	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, knee disarticulation.		1 unit = each, 4 per year.
PRT	L5624	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, above knee.		1 unit = each, 4 per year.
PRT	L5626	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, hip disarticulation.		1 unit = each, 4 per year.
PRT	L5628	TEST SOCKETS						RT LT	Sometimes	02 06 07	Addition to lower extremity, test socket, hemipelvectomy.		1 unit = each, 4 per year.
PRT	L5629	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, acrylic socket.	This code does not describe a socket, rather the acrylic resin used to laminate the socket.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>	<div>* Subchapter 4 Prosthetics</div>	<div>* Error Codes and Explanations</div>							
				<div>* Subchapter 6 Orthotics</div>	<div>* Subchapter 6 Prosthetics</div>								
				<div>* Transmittal Letter ORT 20</div>	<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5630	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, symes type, expandable wall socket.	A symes prosthesis socket that has a rigid outer section and an inner section made of elastomer or similar type material that suspends the prosthesis without cut outs or straps.	1 unit = each, 2 per year.
PRT	L5631	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee or knee disarticulation, acrylic socket.	This code does not describe a socket, rather the acrylic resin used to laminate the socket.	1 unit = each, 4 per year.
PRT	L5632	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, symes type, 'ptb' brim design socket.		1 unit = each, 4 per year.
PRT	L5634	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, symes type, posterior opening (canadian) socket.		1 unit = each, 4 per year.
PRT	L5636	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, symes type, medial opening socket.		1 unit = each, 4 per year.
PRT	L5637	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, total contact.	An additional process to a trans-tibial prosthesis socket to ensure an intimate and complete surface contact between the residual limb and the socket wall.	1 unit = each, 4 per year.
PRT	L5638	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, leather socket.	Addition to lower extremity, below knee, leather socket.	1 unit = each, 4 per year.
PRT	L5639	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, wood socket.	Addition to lower extremity, below knee, wood socket.	1 unit = each, 4 per year.
PRT	L5640	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, knee disarticulation, leather socket.	Addition to lower extremity, knee disarticulation, leather socket.	1 unit = each, 4 per year.
PRT	L5642	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, leather socket.	Addition to lower extremity, above knee, leather socket.	1 unit = each, 4 per year.
PRT	L5643	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame.	A hip disarticulation socket that utilizes a semi flexible molded plastic inner socket that is supported by a rigid structural frame.	1 unit = each, 4 per year.
PRT	L5644	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, wood socket.	Addition to lower extremity, above knee, wood socket.	1 unit = each, 4 per year.
PRT	L5645	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, flexible inner socket, external frame.	A trans-tibial socket that utilizes a semi-flexible molded plastic inner socket that is supported by a rigid structural frame.	1 unit = each, 4 per year.
PRT	L5646	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket.	A trans-tibial socket where the distal section is rigid on the outer surface and an elastomer or similar type material on the inner surface with a space between the inner, and outer portion	1 unit = each, 4 per year.
PRT	L5647	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee suction socket.	A trans-tibial socket design that utilizes negative pressure and a one way air valve to suspend the prosthesis.	1 unit = each, 4 per year.
PRT	L5648	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket.		1 unit = each, 4 per year.
PRT	L5649	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, ischial containment/narrow m-l socket.	A trans-femoral socket design that encapsulates the Ischium.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>				
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
											Description	Interpretive Description	Requirements & Limits
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5650	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Additions to lower extremity, total contact, above knee or knee disarticulation socket.	An additional process to a trans-femoral or knee disarticulation socket to ensure intimate and complete surface contact between the residual limb and the socket wall.	1 unit = each, 4 per year.
PRT	L5651	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, flexible inner socket, external frame.	A trans-femoral socket that utilizes a semi flexible molded plastic inner socket that is supported by a rigid structural frame.	1 unit = each, 4 per year.
PRT	L5652	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, suction suspension, above knee or knee disarticulation socket.	A trans-femoral or knee disarticulation socket design that utilizes negative pressure to suspend the prosthesis.	1 unit = each, 4 per year.
PRT	L5653	SOCKET VARIATIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, knee disarticulation, expandable wall socket.	A knee disarticulation socket that has a rigid outer section and an inner section of elastomer or similar type material and that suspends the prosthesis without cut outs or straps.	1 unit = each, 4 per year.
PRT	L5654	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, symes, (kemblo, pelite, aliplast, plastazote or equal).		1 unit = each, 4 per year.
PRT	L5655	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, below knee (kemblo, pelite, aliplast, plastazote or equal).		1 unit = each, 4 per year.
PRT	L5656	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, knee disarticulation (kemblo, pelite, aliplast, plastazote or equal).		1 unit = each, 4 per year.
PRT	L5658	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, above knee (kemblo, pelite, aliplast, plastazote or equal).		1 unit = each, 4 per year.
PRT	L5661	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, multi-durometer symes.	An addition to a symes prosthesis that is a socket insert that is sectional multi-durometer, meaning that the insert is fabricated with specific areas of differing firmness. This does not refer to an insert with layers of materials of different durometers applied uniformly over its entire surface.	1 unit = each, 4 per year.
PRT	L5665	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, socket insert, multi-durometer, below knee.	An insert for trans-tibial sockets that includes selective islands of different durometers. This does not refer to an insert with layers of materials of different durometers applied uniformly over its entire surface.	1 unit = each, 4 per year.
PRT	L5666	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, cuff suspension.		1 unit = each, 4 per year.
PRT	L5668	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, molded distal cushion.	A distal end pad that has been molded to match the shape of the distal end of the residual limb.	1 unit = each, 4 per year.
PRT	L5670	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, molded supracondylar suspension ('pts' or similar).	A technique for suspension of the prosthesis. This is done by molding the socket so it fits securely over the femoral condyles on each side of the residual limb.	1 unit = each, 4 per year.
PRT	L5671	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee / above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert.		1 unit = each, 4 per year.
PRT	L5672	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, removable medial brim suspension.		1 unit = each, 4 per year.


MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP				Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
PRT	L5673	SOCKET INSERTS AND SUSPENSION							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism.	1 unit = each, 4 per year.
PRT	L5676	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Additions to lower extremity, below knee, knee joints, single axis, pair.	1 unit = pair, 4 per year.
PRT	L5677	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Additions to lower extremity, below knee, knee joints, polycentric, pair.	1 unit = pair, 4 per year.
PRT	L5678	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Additions to lower extremity, below knee, joint covers, pair.	1 unit = pair, 4 per year.
PRT	L5679	SOCKET INSERTS AND SUSPENSION							RT LT	Sometimes	02 06 07	Addition to Lower Extremity, Below Knee/Above Knee, Custom Fabricated From Existing Mold or Prefabricated, Socket Insert, Silicone Gel, Elastomeric or Equal, Not For use With Locking Mechanism.	1 unit = each, 4 per year.
PRT	L5680	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, thigh lacer, nonmolded.	1 unit = each, 4 per year.
PRT	L5681	SOCKET INSERTS AND SUSPENSION							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679).	1 unit = each, 4 per year.
PRT	L5682	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded.	1 unit = each, 4 per year.
PRT	L5683	SOCKET INSERTS AND SUSPENSION							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code I5673 or I5679).	1 unit = each, 4 per year.
PRT	L5684	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, fork strap.	1 unit = each, 4 per year.
PRT	L5685	SOCKET INSERTS AND SUSPENSION							RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each.	A suspension component, consisting of a sleeve that fits over the socket and onto the thigh of the wearer, which may or may not have a valve incorporated into the sleeve. 1 unit = each, 8 per year.
PRT	L5686	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, back check (extension control).	1 unit = each, 4 per year.
PRT	L5688	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, waist belt, webbing.	1 unit = each, 2 per year.
PRT	L5690	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, below knee, waist belt, padded and lined.	1 unit = each, 2 per year.
PRT	L5692	SOCKET INSERTS AND SUSPENSIONS							RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, pelvic control belt, light.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines								
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup					
PRT	L5694	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, pelvic control belt, padded and lined.	1 unit = each, 2 per year.
PRT	L5695	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each.	1 unit = each, 2 per year.
PRT	L5696	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee or knee disarticulation, pelvic joint.	1 unit = each, 2 per year.
PRT	L5697	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee or knee disarticulation, pelvic band.	1 unit = each, 2 per year.
PRT	L5698	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	Addition to lower extremity, above knee or knee disarticulation, silesian bandage.	A belt of webbing or leather that attaches around the waist and directly to the prosthesis and is a type of suspension. 1 unit = each, 2 per year.
PRT	L5699	SOCKET INSERTS AND SUSPENSIONS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, shoulder harness.	1 unit = each, 2 per year.
PRT	L5700	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Replacement, socket, below knee, molded to patient model.	A replacement trans-tibial prosthesis consisting of a custom fabricated non-end bearing rigid socket attached to the existing componentry, includes casting, cast preparation, and dynamic alignment. 1 unit = each, 2 per year.
PRT	L5701	REPLACEMENT SOCKET /COVERS						RT LT	Sometimes	02 06 07	Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model.	A replacement trans-femoral or knee disarticulation prosthesis consisting of a custom fabricated non-end bearing rigid socket, attachment plate, attached to the existing componentry, includes casting, cast preparation, and dynamic alignment. 1 unit = each, 2 per year.
PRT	L5702	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Replacement, socket, hip disarticulation, including hip joint, molded to patient model.	A replacement hip disarticulation prosthesis consisting of a custom fabricated socket, hip joint, attached to the existing componentry, and includes the casting, cast preparation, and dynamic alignment. 1 unit = each, 2 per year.
PRT	L5703	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Ankle, symes, molded to patient model, socket without solid ankle cushion heel (sach) foot, replacement only.	A replacement ankle disarticulation (symes) prosthetic socket consisting of a custom fabricated socket attached to the existing componentry 1 unit = each, 4 per year.
PRT	L5704	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Custom shaped protective cover, below knee.	A trans-tibial custom shaped foam type protective cover. 1 unit = each, 2 per year.
PRT	L5705	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Custom shaped protective cover, above knee.	A trans-tibial custom shaped foam type protective cover. 1 unit = each, 2 per year.
PRT	L5706	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Custom shaped protective cover, knee disarticulation.	A knee disarticulation custom shaped foam type protective cover. 1 unit = each, 2 per year.
PRT	L5707	REPLACEMENT SOCKET / COVERS						RT LT	Sometimes	02 06 07	Custom shaped protective cover, hip disarticulation.	A hip disarticulation custom shaped foam type protective cover. 1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines											
<div>Updated 06/01/08 Program (Link)</div>	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits			
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics	* Error Codes and Explanations									
				* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics										
				* Transmittal Letter ORT 20	* Transmittal Letter PRT 20										
				Description									Interpretive Description		Requirements & Limits
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup								
PRT	L5710	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, manual lock.		1 unit = each, 2 per year.		
PRT	L5711	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material		1 unit = each, 2 per year.		
PRT	L5712	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee).	A trans-femoral or hip disarticulation knee/shin unit that is unicentric and locks when weight is placed on it (stance locking).	1 unit = each, 2 per year.		
PRT	L5714	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control.		1 unit = each, 2 per year.		
PRT	L5716	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock.		1 unit = each, 2 per year.		
PRT	L5718	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control.		1 unit = each, 2 per year.		
PRT	L5722	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control.		1 unit = each, 2 per year.		
PRT	L5724	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control.	A hydraulic knee control unit, including the knee/shin set-up, that is unicentric and controls swing phase only.	1 unit = each, 2 per year.		
PRT	L5726	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, external joints fluid swing phase control.	A hydraulic knee control unit, including the knee/shin set-up, that is unicentric, has external uprights above the knee center and controls swing phase only.	1 unit = each, 2 per year.		
PRT	L5728	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control.	A hydraulic knee control unit, including the knee/shin set-up that is unicentric and controls both swing and stance.	1 unit = each, 2 per year.		
PRT	L5780	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control.	A hydra-pneumatic knee unit that is unicentric and is for swing phase control.	1 unit = each, 2 per year.		
PRT	L5781	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system.		1 unit = each, 2 per year.		
PRT	L5782	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty.		1 unit = each, 2 per year.		
PRT	L5785	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal).	A global code encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 2 per year.		
PRT	L5790	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal).	A global code encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 2 per year.		
PRT	L5795	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal).	A global code encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 2 per year.		
PRT	L5810	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, manual lock.		1 unit = each, 2 per year.		


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics		* Error Codes and Explanations							
			* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics									
			* Transmittal Letter ORT 20	* Transmittal Letter PRT 20									
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5811	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material.	1 unit = each, 4 per year. The use of this codes does not preclude the use of L5950.	
PRT	L5812	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee).	1 unit = each, 4 per year.	
PRT	L5814	KNEE SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock.	1 unit = each, 2 per year.	
PRT	L5816	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock.	1 unit = each, 2 per year.	
PRT	L5818	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, polycentric, friction swing, and stance phase control.	1 unit = each, 2 per year.	
PRT	L5822	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control.	1 unit = each, 2 per year.	
PRT	L5824	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control.	1 unit = each, 2 per year.	
PRT	L5826	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame.	1 unit = each, 2 per year.	
PRT	L5828	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control.	1 unit = each, 2 per year.	
PRT	L5830	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee-shin system, single axis, pneumatic/ swing phase control.	1 unit = each, 2 per year.	
PRT	L5840	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal knee/shin system, 4-bar linkage or multiaxial, pneumatic swing phase control.	1 unit = each, 2 per year.	
PRT	L5845	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal, knee-shin system, stance flexion feature, adjustable.	1 unit = each, 2 per year. An addition to an endoskeletal knee-shin system that is adjustable allowing controlled partial knee flexion during weight bearing.	
PRT	L5848	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to endoskeletal, knee-shin system, fluid stance extension, dampening feature, with or without adjustability.	1 unit = each, 2 per year.	
PRT	L5850	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, above knee or hip disarticulation, knee extension assist.	1 unit = each, 2 per year.	
PRT	L5855	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist.	1 unit = each, 2 per year.	
PRT	L5856	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type.	1 unit = each, 2 per year.	
PRT	L5857	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type.	1 unit = each, 2 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5858	KNEE SHIN SYSTEMS						RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type.	1 unit = each, 2 per year.	
PRT	L5910	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, below knee, alignable system.	1 unit = each, 4 per year.	
PRT	L5920	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, above knee or hip disarticulation, alignable system.	1 unit = each, 4 per year.	
PRT	L5925	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock.	A manual locking feature for an endoskeletal knee or hip joint. 1 unit = each, 2 per year.	
PRT	L5930	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, high activity knee control frame.	An addition to an endoskeletal knee-shin system suitable for athletic or high activity use. 1 unit = each, 2 per year.	
PRT	L5940	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code. 1 unit = each, 4 per year.	
PRT	L5950	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code. 1 unit = each, 4 per year.	
PRT	L5960	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code. 1 unit = each, 4 per year.	
PRT	L5962	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, below knee, flexible protective outer surface covering system.	A skin like material that is applied over the shaped soft foam covering forming a water and tear resistant flexible surface. 1 unit = each, 4 per year.	
PRT	L5964	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, above knee, flexible protective outer surface covering system.	A skin like material that is either brushed or sprayed over the soft foam covering forming a water and tear resistant flexible surface. 1 unit = each, 4 per year.	
PRT	L5966	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system.	A skin like material that is either brushed or sprayed over the soft foam covering forming a water and tear resistant flexible surface. 1 unit = each, 4 per year.	
PRT	L5968	MISCELLANEOUS ARTICULATIONS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature.	An ankle that is intended to provide motion in all directions during walking and standing and actively dorsiflexes and returns to its original position when unloaded. 1 unit = each, 2 per year.	


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5970	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, foot, external keel, sach foot.		1 unit = each, 2 per year.
PRT	L5971	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prosthesis, solid ankle cushion heel (sach) foot, replacement only.		1 unit = each, 2 per year.
PRT	L5972	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, flexible keel foot (safe, sten, bock dynamic or equal).		1 unit = each, 2 per year.
PRT	L5974	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, foot, single axis ankle/foot.		1 unit = each, 4 per year.
PRT	L5975	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prosthesis, combination single axis ankle and flexible keel foot.		1 unit = each, 2 per year.
PRT	L5976	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, energy storing foot (seattle carbon copy II or equal).		1 unit = each, 2 per year.
PRT	L5978	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, foot, multiaxial ankle/foot .		1 unit = each, 2 per year.
PRT	L5979	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prosthesis, multi-axial ankle, dynamic response foot, one piece system.	A unibody foot that articulates on all planes thereby providing compliance to ground contours, stores ground reaction forces, and gives dynamic response in gait.	1 unit = each, 2 per year.
PRT	L5980	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, flex foot system.		unit = each, 2 per year.
PRT	L5981	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prostheses, flex-walk system or equal.		unit = each, 2 per year.
PRT	L5982	MISCELLANEOUS MISCELLANEOUS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	All exoskeletal lower extremity prostheses, axial rotation unit.		unit = each, 2 per year.
PRT	L5984	MISCELLANEOUS MISCELLANEOUS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	All endoskeletal lower extremity prosthesis, axial rotation unit, with or without adjustability.		unit = each, 2 per year.
PRT	L5985	MISCELLANEOUS MISCELLANEOUS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon.	A pylon that deflects upon weight bearing storing energy and returns to its original posture upon release of pressure.	1 unit = each, 2 per year.
PRT	L5986	MISCELLANEOUS MISCELLANEOUS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	All lower extremity prostheses, multi-axial rotation unit ('mcp' or equal).		1 unit = each, 2 per year.
PRT	L5987	FOOT SYSTEMS						RT LT	Sometimes	02 06 07	All lower extremity prosthesis, shank foot system with vertical loading pylon.	A pylon-foot system that deflects vertically on weight bearing and reflexes to its original posture as it is unloaded.	1 unit = each, 2 per year.
PRT	L5988	MISCELLANEOUS MISCELLANEOUS LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to lower limb prosthesis, vertical shock reducing pylon feature.		1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L5990	MISCELLANEOUS ARTICULATED LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, user adjustable heel height.		1 unit = each, 2 per year.
PRT	L5993	MISCELLANEOUS ARTICULATED LIMB PROSTHESES		AAC +70%				RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, heavy duty feature, foot only, (for patient weight greater than 300 lbs).	An addition to a foot for construction accommodating patient weight of 300 lbs or more.	1 unit = each, 4 per year
PRT	L5994	MISCELLANEOUS ARTICULATED LIMB PROSTHESES		AAC +70%				RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, heavy duty feature, knee only, (for a patient weight greater than 300 lbs).	An addition to a knee for construction accommodating patient weight of 300 lbs or more.	1 unit = each, 4 per year
PRT	L5995	MISCELLANEOUS ARTICULATED LIMB PROSTHESES		AAC +70%				RT LT	Sometimes	02 06 07	Addition to lower extremity prosthesis, heavy duty feature, other than foot or knee (for patient weight > 300 lbs).		1 unit = each, 4 per year.
PRT	L5999	MISCELLANEOUS ARTICULATED LIMB PROSTHESES		AAC +50%				RT LT	Yes	02 06 07	Lower extremity prosthesis, not otherwise specified.		Lower extremity prosthesis, not otherwise specified (Pay by report)
PRT	L6000	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial hand, robin-aids, thumb remaining (or equal).	Base code, upper extremity prosthesis, partial hand prosthesis for an amputation with only the thumb remaining. The prosthesis provides opposition grasp. Includes a custom fitted socket fabricated from a model of the patient	1 unit = each, 2 per year.
PRT	L6010	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial hand, robin-aids, little and/or ring finger remaining (or equal).	Base code, upper extremity prosthesis, partial hand prosthesis for an amputation with the fifth and or fourth phalange. The prosthesis provides opposition grasp. Includes a custom fitted socket fabricated from a model of the patient	1 unit = each, 2 per year.
PRT	L6020	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Partial hand, robin-aids, no finger remaining (or equal).	Base code, upper extremity, partial hand prosthesis for an amputation of all phalanges. Includes a custom fitted socket fabricated from a model of the patient	1 unit = each, 2 per year.
PRT	L6025	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device.		1 unit = each, 2 per year.
PRT	L6050	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad.	Base code, upper extremity, exoskeletal prosthesis for a wrist disarticulation or a long trans-radial amputation. Includes a custom fitted socket fabricated from a model of the patient, triceps cuff, friction wrist unit and flexible hinges	1 unit = each, 2 per year.
PRT	L6055	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad.	Base code, upper extremity, flexible wall exoskeletal prosthesis for a wrist disarticulation or a trans-radial amputation. Includes a custom fitted socket fabricated from a model of the patient with specific modifications and fabrication to accomplish expandable wall, triceps cuff, friction wrist unit and flexible hinges	1 unit = each, 2 per year.
PRT	L6100	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, molded socket, flexible elbow hinge, triceps pad.	Base code, upper extremity, exoskeletal prosthesis for a trans-radial amputation, includes a custom fitted socket fabricated from a model of the patient. Includes triceps cuff, friction wrist unit and flexible hinges	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)				
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6110	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, molded socket, (muenster or northwestern suspension types).	Base code, upper extremity, self suspending exoskeletal prosthesis for a short trans-radial amputation Includes a custom fitted socket fabricated from a model of the patient with specific modifications to accommodate suspension. Includes friction wrist unit	1 unit = each, 2 per year.
PRT	L6120	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, molded double wall split socket, step-up hinges, half cuff.	Base code, upper extremity, exoskeletal prosthesis for a short trans-radial amputation. Includes a custom fitted socket fabricated from a model of the patient , a custom fabricated forearm utilizing step-up hinges to increase range of motion, Includes triceps cuff and friction wrist unit	1 unit = each, 2 per year.
PRT	L6130	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff.	Base code, upper extremity, exoskeletal prosthesis for a short trans-radial amputation. Includes a custom fitted socket fabricated from a model of the patient, a custom fabricated forearm utilizing stump activated locking hinges. Includes triceps cuff and friction wrist unit	1 unit = each, 2 per year.
PRT	L6200	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Elbow disarticulation, molded socket, outside locking hinge, forearm.	Base code, upper extremity, exoskeletal prosthesis for an elbow disarticulation or long trans-humeral amputation. Includes a custom fitted socket fabricated from a model of the patient, custom fabricated forearm utilizing outside locking hinges and friction wrist unit	1 unit = each, 4 per year.
PRT	L6205	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm.	Base code, upper extremity, flexible expandable wall exoskeletal prosthesis for elbow disarticulation or long trans-radial amputation. Includes a custom fitted socket fabricated from a model of the patient with specific modifications and fabrication to accomplish expandable wall, a custom fabricated forearm utilizing outside locking hinges and friction wrist unit	1 unit = each, 2 per year.
PRT	L6250	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above elbow, molded double wall socket, internal locking elbow, forearm.	Base code, upper extremity, exoskeletal prosthesis for a trans-humeral amputation. Includes a custom fitted double wall socket fabricated from a model of the patient, a custom fabricated forearm utilizing a internal locking elbow and friction wrist unit	1 unit = each, 2 per year.
PRT	L6300	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm.	Base code, upper extremity, exoskeletal prosthesis for a shoulder disarticulation amputation. Includes a custom fitted socket fabricated from a model of the patient, a custom fabricated humeral section and forearm utilizing a shoulder bulkhead a internal locking elbow and friction wrist unit	1 unit = each, 2 per year.
PRT	L6310	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, passive restoration (complete prosthesis).	Base code, upper extremity, exoskeletal passive prosthesis for a shoulder disarticulation amputation. Includes a custom fitted socket fabricated from a model of the patient, a custom fabricated humeral section and forearm utilizing a passive elbow passive terminal device, friction wrist unit and suspension	1 unit = each, 2 per year.
PRT	L6320	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, passive restoration (shoulder cap only).	Base code, upper extremity, restoration (cap) prosthesis for the shoulder of a shoulder disarticulation amputation. Includes a custom fitted socket fabricated from a model of the patient with special modifications to restore shoulder shape and to provide protection for amputated area.	1 unit = each, 2 per year.
PRT	L6350	UPPER LIMB PROSTHESES						RTL T	Sometimes	02 06 07	Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm.	Base code, upper extremity, exoskeletal prosthesis for an interscapular thoracic amputation. Includes a custom fitted socket fabricated from a model of the patient, a custom fabricated humeral section and forearm utilizing a shoulder bulkhead a internal locking elbow and friction wrist unit	1 unit = each, 2 per year.
PRT	L6360	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Interscapular thoracic, passive restoration (complete prosthesis).	Base code, upper extremity, exoskeletal passive prosthesis for an interscapular thoracic amputation. Includes a custom fitted socket fabricated from a model of the patient, a custom fabricated humeral section and forearm utilizing a passive elbow, passive terminal device, friction wrist unit and suspension	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)			
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
				Description							Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6370	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Interscapular thoracic, passive restoration (shoulder cap only).	Base code, upper extremity, restoration (cap) prosthesis, for the shoulder of an interscapular thoracic amputation. Includes a custom fitted socket fabricated from a model of the patient with special modifications to restore shoulder shape and to provide protection to the amputation area	1 unit = each, 2 per year.
PRT	L6380	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow.	Base code, upper extremity, temporary prosthesis, wrist disarticulation or trans-radial, a prosthesis that is applied immediately post-op or soon after, socket fabricated directly to the amputee's residual limb of a synthetic material. Includes friction wrist unit, flexible hinges, triceps cuff, control harness and one cast change	1 unit = each, 2 per year.
PRT	L6382	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow	Base code, upper extremity, temporary prosthesis, elbow disarticulation or trans-humeral, a prosthesis that is applied immediately post-op or soon after, socket fabricated directly to the amputee's residual limb of a synthetic material. Includes locking elbow, forearm, friction wrist unit, control harness and one cast change	1 unit = each, 2 per year.
PRT	L6384	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic.	Base code, upper extremity, temporary prosthesis, shoulder disarticulation or interscapular thoracic. A prosthesis that is applied immediately post-op or soon after, socket fabricated directly to the amputee's residual limb, made of a synthetic material. Includes humeral section, locking elbow, forearm section, friction wrist unit, control harness and one cast change	1 unit = each, 2 per year.
PRT	L6386	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, each additional cast change and realignment.	Base code, temporary prosthesis, socket change, The removal and reapplication of the direct formed socket (L6380,L6382,L6384) includes alignment and adjustments	1 unit = each, 2 per year.
PRT	L6388	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Immediate post surgical or early fitting, application of rigid dressing only.	Base code, rigid dressing, application of a dressing immediately post-op or soon after, consisting of a socket fabricated directly to the amputees residual limb (any level)	1 unit = each, 2 per year.
PRT	L6400	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping.	Base code, upper extremity, endoskeletal prosthesis for a trans-radial amputation. Includes a custom fitted socket fabricated from a patient model, non alienable forearm, friction wrist unit custom shaped cover and non protective covering	1 unit = each, 2 per year.
PRT	L6450	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping.	Base code upper extremity, endoskeletal prosthesis for an elbow disarticulation or long trans-radial amputation. Includes a custom fitted socket fabricated from a patient model, non alienable forearm, friction wrist unit, custom shaped cover and non protective covering	1 unit = each, 2 per year.
PRT	L6500	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping.	Base code, upper extremity, endoskeletal prosthesis for a trans-radial amputation. Includes a custom fitted socket fabricated from a patient model, a non alienable humeral section, non alienable forearm, friction wrist unit, custom shaped cover and non protective covering	1 unit = each, 2 per year.
PRT	L6550	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping.	Base code, upper extremity, endoskeletal prosthesis for a shoulder disarticulation amputation. Includes a custom fitted socket fabricated from a patient model, non alignable humeral section and non alignable forearm, friction wrist unit, custom shaped cover and non protective covering	1 unit = each, 2 per year.
PRT	L6570	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping.	Base code, upper extremity, endoskeletal prosthesis for an interscapular thoracic amputation. Includes a custom fitted socket fabricated from a patient model, non alignable humeral section, non alignable forearm, friction wrist unit, custom shaped cover and non protective covering.	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6580	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, molded to patient model.	Base code upper extremity, preparatory prosthesis for a wrist-disarticulation or trans-radial amputation. Includes a custom fitted socket fabricated from a patient model, single wall construction, non alignable pylon, triceps cuff flexible hinges, friction wrist unit, Bowden control cable, figure eight harness, friction wrist unit, no cover allowed with this code	1 unit = each, 2 per year.
PRT	L6582	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, usmc or equal pylon, no cover, direct formed.	Base code, upper extremity, preparatory prosthesis for a wrist disarticulation or trans-radial amputation. Includes a direct formed socket, single wall construction, non alignable pylon, triceps cuff, flexible hinges, friction wrist unit, Bowden control cable, figure eight harness, friction wrist unit, no cover allowed for this code	1 unit = each, 2 per year.
PRT	L6584	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, molded to patient model.	Base code, upper extremity, preparatory prosthesis for an elbow disarticulation or trans-radial amputation. Includes a custom fitted socket fabricated from a patient model, single wall construction, locking elbow, non alignable pylon, fair lead control cable, figure eight harness, friction wrist unit, no cover allowed for this code	1 unit = each, 2 per year.
PRT	L6586	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, usmc or equal pylon, no cover, direct formed.	Base code, upper extremity, and preparatory prosthesis for an elbow disarticulation or trans-radial amputation. Includes a direct formed socket, single wall construction, locking elbow, non alignable pylon, fair lead control cable, figure eight harness, friction wrist unit, no cover allowed for this code	1 unit = each, 2 per year.
PRT	L6588	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, molded to patient model	Base code, upper extremity, preparatory prosthesis for a shoulder disarticulation or an interscapular thoracic amputation. Includes a custom fitted socket fabricated from a patient model, single wall fabrication utilizing plastic, shoulder joint, locking elbow, friction wrist unit, non alignable pylon, fairlead control cable, chest harness, no cover allowed for this code.	1 unit = each, 8 per year.
PRT	L6590	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, usmc or equal pylon, no cover, direct formed.	Base code, upper extremity, preparatory prosthesis for a shoulder disarticulation or an interscapular thoracic amputation. Includes a direct formed socket, single wall fabrication utilizing plastic, shoulder joint, locking elbow, friction wrist unit, non alignable pylon, fairlead control cable, chest harness, no cover allowed for this code	1 unit = each, 2 per year.
PRT	L6600	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity additions, polycentric hinge, pair.	Addition code, hinge, polycentric hinges (pair)	1 unit = each, 2 per year. Addition code, hinge, polycentric hinges (pair).
PRT	L6605	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity additions, single pivot hinge, pair.		1 unit = each, 4 per year. Addition code, hinge, single pivot hinges (pair).
PRT	L6610	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity additions, flexible metal hinge, pair.		1 unit = each, 4 per year. Addition code, hinge, flexible metal hinges (pair).
PRT	L6611	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, external powered, additional switch, any type.		1 unit = each, 6 per year
PRT	L6615	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, disconnect locking wrist unit.	Addition code, wrist, a quick disconnect wrist unit, allows for the interchanging of terminal devices, supination and pronation of terminal device in locked positions. Includes one wrist unit insert.	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>						
			<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>								
			<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6616	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, additional disconnect insert for locking wrist unit, each.	Addition code, wrist, additional insert to be utilized with the quick disconnect wrist unit. (L6615)	1 unit = each, 2 per year.
PRT	L6620	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, flexion/extension wrist unit, with or without friction.	A wrist unit that allows flexion of the terminal device into locked positions. The wrist unit only flexes in one plane.	1 unit = each, 4 per year.
PRT	L6621	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device.	A wrist unit that allows flexion of the terminal device into locked positions. The wrist unit only flexes in one plane. For use with external powered devices.	1 unit = each, 4 per year.
PRT	L6623	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, spring assisted rotational wrist unit with latch release.	Addition code, wrist, a wrist unit that utilizes a spring to assist supination and pronation. Locking mechanism to lock terminal in fixed position.	1 unit = each, 4 per year.
PRT	L6624	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, flexion/extension and rotation wrist unit.		1 unit = each, 4 per year
PRT	L6625	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, rotation wrist unit with cable lock.	Addition code, wrist, a wrist unit that utilizes a cable to unlock the terminal device to allow supination and pronation.	1 unit = each, 4 per year.
PRT	L6628	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, quick disconnect hook adapter, otto bock or equal.	Addition code, wrist, a wrist unit for external powered prosthesis that allows for the interchanging of external powered or body powered terminal devices and supination or pronation.	1 unit = each, 2 per year.
PRT	L6629	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, quick disconnect lamination collar with coupling piece, otto bock or equal.	Addition code, wrist, a lamination collar and coupling to accept the terminal device for an external powered prosthesis. Used in fabrication of the forearm.	1 unit = each, 4 per year.
PRT	L6630	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, stainless steel, any wrist.	Addition code, wrist, any wrist unit made of stainless steel.	1 unit = each, 4 per year.
PRT	L6632	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, latex suspension sleeve, each.		1 unit = each, 8 per year. Addition code, suspension, a sleeve to suspend the prosthesis, made of latex.
PRT	L6635	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, lift assist for elbow.		1 unit = each, 2 per year. Addition code, controls, elbow lift assist, device that attaches to the prosthetic elbow to aid the amputee with elbow flexion.
PRT	L6637	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, nudge control elbow lock	Addition code, controls, nudge control, a device utilized by high level amputees to lock and unlock the prosthetic elbow when shoulder excursion is limited.	1 unit = each, 2 per year.
PRT	L6638	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow.		1 unit = each, 2 per year.
PRT	L6639	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, heavy duty feature, any elbow.		1 unit = each, 4 per year
PRT	L6640	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity additions, shoulder abduction joint, pair.	Addition code, joint, shoulder joints that provides passive abduction for the humeral section of a high level prosthesis. (pair)	1 unit = each, 2 per year.
PRT	L6641	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, excursion amplifier, pulley type.	Addition code, controls, excursion amplifier, device used to double cable excursion, for use when excursion is limited. (pulley type)	1 unit = each, 2 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>				<div>* Subchapter 4 Orthotics</div>		<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>					
				<div>* Subchapter 6 Orthotics</div>		<div>* Subchapter 6 Prosthetics</div>							
				<div>* Transmittal Letter ORT 20</div>		<div>* Transmittal Letter PRT 20</div>							
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
PRT	L6642	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, excursion amplifier, lever type.	Addition code, controls, excursion amplifier, device used to double cable excursion, for use when excursion is limited. (lever type)	1 unit = each, 2 per year.
PRT	L6645	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, shoulder flexion-abduction joint, each.	Addition code, joint, shoulder joint that provides passive flexion and abduction for the humeral section of a high level prosthesis	1 unit = each, 2 per year.
PRT	L6646	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system.		1 unit = each, 2 per year.
PRT	L6647	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, shoulder lock mechanism, body powered actuator.		1 unit = each, 2 per year.
PRT	L6648	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, shoulder lock mechanism, external powered actuator.		1 unit = each, 2 per year.
PRT	L6650	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, shoulder universal joint, each.	Addition code, joint, shoulder joint that provides passive abduction, flexion, rotation and circumduction. (universal)	1 unit = each, 2 per year.
PRT	L6655	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, standard control cable, extra.		1 unit = each, 4 per year. Addition code, control cable and housing for body powered prosthesis, each (standard)
PRT	L6660	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, heavy duty control cable.		1 unit = each, 4 per year. Addition code, control cable and housing for body powered prosthesis, each (heavy duty).
PRT	L6665	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, teflon, or equal, cable lining.	Upper Extremity Addition, Teflon, or Equal, Cable Lining	1 unit = each, 4 per year.
PRT	L6670	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, hook to hand, cable adapter.	Addition code, control cable, utilized to allow the hook and hand to be interchanged on a body powered prosthesis (hook to hand adapter)	1 unit = each, 4 per year.
PRT	L6672	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, harness, chest or shoulder, saddle type.	Addition code, suspension harness, chest or shoulder saddle type	1 unit = each, 4 per year.
PRT	L6675	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, harness, (e.g. figure of eight type), single cable design.		1 unit = each, 4 per year.
PRT	L6676	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, harness, (e.g. figure of eight type), dual cable design.		1 unit = each, 4 per year.
PRT	L6677	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow.		1 unit = each, 4 per year.
PRT	L6680	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, test socket, wrist disarticulation or below elbow.	Addition code, socket, diagnostic socket utilized for evaluation in regards to fit and function of the prosthetic socket , wrist disarticulation or trans-radial (each)	1 unit = each, 4 per year.
PRT	L6682	ADDITIONS TO ORTHOTICS PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, test socket, elbow disarticulation or above elbow.	Addition code, socket, diagnostic socket utilized for evaluation of fit and function of the prosthetic socket, elbow disarticulation or trans-humeral (each)	1 unit = each, 4 per year.


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION			Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6684	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic.	Addition code, socket, diagnostic socket utilized for evaluation of fit and function of the prosthetic socket, shoulder disarticulation or interscapular thoracic (each)	1 unit = each, 4 per year.
PRT	L6686	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, suction socket.	Addition code, socket, specific model modification and fabrication technique used to create suspension by utilizing suction	1 unit = each, 4 per year.
PRT	L6687	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, frame type socket, below elbow or wrist disarticulation.	Addition code, socket, a socket for a trans-radial amputee that is fabricated out of a semi-rigid material and then supported by a rigid frame	1 unit = each, 4 per year.
PRT	L6688	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, frame type socket, above elbow or elbow disarticulation.	Addition code, socket, a socket for a elbow disarticulation or trans-radial amputee that is fabricated out of a semi-rigid material and then supported by a rigid frame	1 unit = each, 4 per year.
PRT	L6689	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, frame type socket, shoulder disarticulation.	Addition code, socket, a socket for a shoulder disarticulation amputee that is fabricated out of a semi-rigid material and then supported by a rigid frame	1 unit = each, 4 per year.
PRT	L6690	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, frame type socket, interscapular-thoracic.	Addition code, socket, a socket for an interscapular thoracic amputee that is fabricated out of a semi-rigid material and then supported by a rigid frame.	1 unit = each, 4 per year.
PRT	L6691	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, removable insert, each.	Addition code, socket, insert that is removable from a trans-radial prosthetic socket, fabricated out of a flexible or semi-rigid material (each)	1 unit = each, 4 per year.
PRT	L6692	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, silicone gel insert or equal, each.	Addition code, socket, insert that is removable from a trans-radial prosthetic socket, fabricated out of silicone gel or elastomeric material (each)	1 unit = each, 4 per year.
PRT	L6693	ADDITIONS TO UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Upper extremity addition, locking elbow, forearm counterbalance.	Addition code, elbow, a internal locking elbow for a body powered prosthesis that incorporates the forearm which is designed with a counterbalance to compensate for distal weight of the prosthesis and/or lack of force necessary to flex the forearm of the prosthesis.	1 unit = each, 2 per year.
PRT	L6694	SOCKET INSERTS AND SUSPENSION						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism.		1 unit = each, 4 per year.
PRT	L6695	SOCKET INSERTS AND SUSPENSION						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism.		1 unit = each, 4 per year.
PRT	L6696	SOCKET INSERTS AND SUSPENSION						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695).		1 unit = each, 4 per year.
PRT	L6697	SOCKET INSERTS AND SUSPENSION						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695).		1 unit = each, 4 per year.
PRT	L6698	SOCKET INSERTS AND SUSPENSION						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert.		1 unit = each, 4 per year. Upper Extremity Suspension Locking Mechanism (Shuttle, Lanyard or Equal).


				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6703	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, passive hand/mitt, any material, any size.		1 unit = each, 4 per year
PRT	L6704	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, sport/recreational/work attachment, any material, any size.		1 unit = each, 4 per year
PRT	L6706	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined.		1 unit = each, 4 per year
PRT	L6707	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, hand, mechanical, voluntary opening, any material, any size.		1 unit = each, 4 per year
PRT	L6708	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, hand, mechanical, voluntary opening, any material, any size.		1 unit = each, 4 per year
PRT	L6709	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, hand, mechanical, voluntary closing, any material, any size.		1 unit = each, 4 per year
PRT	L6805	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, modifier wrist flexion unit.	Addition code, wrist, the flexion wrist unit is in addition to the friction wrist unit, allows the terminal device to be locked in three different flexion angles, allows flexion in any plane, friction supination and pronation of the terminal device	1 unit = each, 4 per year
PRT	L6810	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Terminal device, pincher tool, otto bock or equal.	Addition code, terminal device, pincer adaptive device, device utilized with terminal device for fine motor activities	1 unit = each, 4 per year
PRT	L6881	TERMINAL DEVICES - ADDITIONS						RT LT	Sometimes	02 06 07	Automatic grasp feature, addition to upper limb prosthetic terminal device.	Addition code, terminal device, auto grasp sensor, sensor in hand detects change in the objects center of gravity and re-adjust the grip of the external powered hand	1 unit = each, 2 per year.
PRT	L6882	TERMINAL DEVICES - ADDITIONS						RT LT	Sometimes	02 06 07	Microprocessor control feature, addition to upper limb prosthetic terminal device.	Addition code, terminal device, microprocessor control, circuitry that allows more independent controlled function of the external powered hand	1 unit = each, 2 per year.
PRT	L6883	REPLACEMENT SOCKETS						RT LT	Sometimes	02 06 07	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power.	A replacement BE/WD prosthetic socket consisting of a custom fabricated rigid socket, attachment plate or preparation for forearm attachment, attached to the existing componentry	1 unit = each, 2 per year.
PRT	L6884	REPLACEMENT SOCKETS						RT LT	Sometimes	02 06 07	Replacement socket, above elbow disarticulation, molded to patient model, for use with or without external power.	A replacement AE/ED prosthetic socket consisting of a custom fabricated rigid socket attached to the existing componentry	1 unit = each, 2 per year.
PRT	L6885	REPLACEMENT SOCKETS						RT LT	Sometimes	02 06 07	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power.	A replacement SD/IT prosthetic socket consisting of a custom fabricated rigid socket attached to the existing componentry	1 unit = each, 2 per year.
PRT	L6890	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment.	Addition code, terminal device, hand, flexible protective covering (production glove)	1 unit = each, 8 per year.
PRT	L6895	TERMINAL DEVICES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated.	Addition code, terminal device, hand, protective covering (custom glove)	1 unit = each, 8 per year.
PRT	L6900	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining.	Base code, upper extremity, partial hand restoration prosthesis for an amputation with only the thumb remaining. The prosthesis provides opposition grasp. Includes a custom fitted socket fabricated from a model of the patient and covered with a prosthetic glove	1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>				
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics		* Error Codes and Explanations							
			* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics									
			* Transmittal Letter ORT 20	* Transmittal Letter PRT 20									
										Description	Interpretive Description	Requirements & Limits	
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L6905	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining.	Base code, upper extremity, partial hand restoration prosthesis for an amputation with multiple phalanges remaining, the prosthesis provides opposition grasp. Includes a custom fitted socket fabricated from a model of the patient and covered with a prosthetic glove	1 unit = each, 2 per year.
PRT	L6910	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining.	Base code, upper extremity, partial hand restoration prosthesis for amputation of all phalanges. Includes a custom fitted socket fabricated from a model of the patient and covered with a prosthetic glove	1 unit = each, 2 per year.
PRT	L6915	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Hand restoration (shading, and measurements included), replacement glove for above.	Replacement code for a partial hand, replacement of the flexible protective covering for (L6900,L6905,L6910)	1 unit = each, 2 per year.
PRT	L6920	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal, switch, cables, two batteries and one charger, switch control of terminal device.	Base code, upper extremity, external powered switch controlled wrist disarticulation prosthesis. Includes a custom fitted removable self suspending socket fabricated from a model of the patient, forearm shell, wrist unit, appropriate cables, switch control, two ni-cad batteries and a battery charger	1 unit = each, 2 per year.
PRT	L6925	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, external powered myoelectric controlled wrist disarticulation prosthesis. Includes a custom fitted removable self suspending socket fabricated from a model of the patient, forearm shell, wrist unit, appropriate cables, electrodes, two ni-cad batteries and a battery charger	1 unit = each, 2 per year.
PRT	L6930	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, external power, self-suspended inner socket, removable forearm shell, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device.	Base code, upper extremity, external powered switch controlled trans-radial prosthesis. Includes a custom fitted removable self suspended socket fabricated from a model of the patient, forearm shell, wrist unit, appropriate cables, switch control two ni-cad batteries and a battery charger	1 unit = each, 2 per year.
PRT	L6935	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Below elbow, external power, self-suspended inner socket, removable forearm shell, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, external powered myoelectric controlled trans-radial prosthesis. Includes a custom fitted removable self suspended socket fabricated from a model of the patient, forearm shell, wrist unit, appropriate cables, electrodes two ni-cad batteries and a battery charger	1 unit = each, 2 per year.
PRT	L6940	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device	Base code, upper extremity, external powered switch controlled elbow disarticulation prosthesis. Includes a custom fitted removable socket fabricated from a model of the patient, forearm shell, outside locking hinges, wrist unit, appropriate cables, switch control, two ni-cad batteries and a battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6945	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, powered myoelectric controlled elbow disarticulation prosthesis. Includes a custom fitted removable socket fabricated from a model of the patient, forearm shell, outside locking hinges, wrist unit, appropriate cables, electrodes, two ni-cad batteries and a battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6950	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device.	Base code, upper extremity, external powered switch controlled trans-radial prosthesis. Includes a custom fitted removable socket fabricated from a model of the patient, internal locking elbow, forearm shell, wrist unit, appropriate cables, switch control, two ni-cad batteries and a battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6955	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, external powered myoelectric controlled trans-radial prosthesis. Includes a custom fitted removable socket fabricated from a model of the patient, internal locking elbow forearm shell, wrist unit, appropriate cables, electrodes, two ni-cad batteries and a battery charger (only terminal device is powered)	1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
<div>* Shoe Medical Necessity Form Print Out</div>			<div>* Subchapter 4 Orthotics</div>	<div>* Subchapter 4 Prosthetics</div>		<div>* Error Codes and Explanations</div>							
			<div>* Subchapter 6 Orthotics</div>	<div>* Subchapter 6 Prosthetics</div>									
			<div>* Transmittal Letter ORT 20</div>	<div>* Transmittal Letter PRT 20</div>									
<div>BACK TO THE TOP</div>			<div>Shoe Form</div>	<div>DHCFP</div>	<div>AAC COST</div>	<div>UNITS</div>	<div>AAC Markup</div>						
PRT	L6960	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device.	Base code, upper extremity, external powered switch controlled shoulder disarticulation prosthesis. Includes a removable custom fitted socket fabricated from a model or the patient, shoulder bulkhead, humeral and forearm section, locking elbow, wrist unit, appropriate cables, switch control, two ni-cad batteries and battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6965	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, external powered myoelectric controlled shoulder disarticulation prosthesis. Includes a removable custom fitted socket fabricated from a model of the patient, shoulder bulkhead, humeral and forearm section, locking elbow, wrist unit, appropriate cables, electrodes, two ni cad batteries and a battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6970	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal switch, cables, two batteries and one charger, switch control of terminal device.	Base code, upper extremity, external powered switch controlled interscapular thoratic prosthesis. Includes a removable custom fitted socket fabricated from a model of the patient, shoulder bulkhead, humeral and forearm section, locking elbow, wrist unit, appropriate cables, switch control, two ni-cad batteries and battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L6975	UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, otto bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device.	Base code, upper extremity, external powered myoelectric controlled interscapular thoracic prosthesis. Includes a removable custom fitted socket fabricated from a model of the patient, shoulder bulkhead, humeral and forearm section, locking elbow, wrist unit, appropriate cables, electrodes, two ni cad batteries and battery charger (only terminal device is powered)	1 unit = each, 2 per year.
PRT	L7007	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electric hand, switch or myoelectric controlled, adult.		1 unit = each, 2 per year
PRT	L7008	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electric hand, switch or myoelectric, controlled, pediatric.		1 unit = each, 2 per year
PRT	L7009	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electric hook, switch or myoelectric controlled, adult.		1 unit = each, 2 per year
PRT	L7040	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Prehensile actuator, hosmer or equal, switch controlled.	Addition code, upper extremity, trans-humeral, motor assisted device built in to the forearm or the prosthesis to assist patients with limited excursion, will operate variety of body powered terminal devices	1 unit = each, 2 per year.
PRT	L7045	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electronic hook, child, michigan or equal, switch controlled.	Addition code, terminal device, hook, electric device to assist patients with limited excursion utilized with a 10P or 10X hook child size	1 unit = each, 2 per year.
PRT	L7170	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electronic elbow, hosmer or equal, switch controlled.	Addition code, elbow, external power, switch controlled, interchangeable with body powered elbows, (Hosmer)	1 unit = each, 2 per year.
PRT	L7180	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electronic elbow, microprocessor sequential control of elbow and terminal device.	Addition code, elbow, external power, myoelectric, includes forearm shell and sequential control circuitry to control forearm and hand	1 unit = each, 2 per year.
PRT	L7181	ELECTRONIC UPPER LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Electronic elbow, microprocessor simultaneous control of elbow and terminal device.		1 unit = each, 2 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines											
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	AAC+ INFORMATION			<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>					
<div>* Shoe Medical Necessity Form Print Out</div>			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		<div>* Error Codes and Explanations</div>								
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics										
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20										
											Description	Interpretive Description	Requirements & Limits		
BACK TO THE TOP				Shoe Form		DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L7185	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic elbow, adolescent, variety village or equal, switch controlled.	Addition code, elbow, external power, switch controlled, includes forearm shell and circuitry to control forearm and hand, (adolescent)	1 unit = each, 2 per year.	
PRT	L7186	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic elbow, child, variety village or equal, switch controlled.	Addition code, elbow, external power, switch controlled, includes forearm shell and circuitry to control forearm and hand,(child)	1 unit = each, 2 per year.	
PRT	L7190	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic elbow, adolescent, variety village or equal, myoelectronically controlled.	Addition code, elbow, external power, myoelectric controlled, includes forearm shell and circuitry to control forearm and hand (adolescent)	1 unit = each, 2 per year.	
PRT	L7191	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic elbow, child, variety village or equal, myoelectronically controlled.	Addition code, elbow, external power, myoelectric controlled, includes forearm shell and circuitry to control forearm and hand (child)	1 unit = each, 2 per year.	
PRT	L7260	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic wrist rotator, otto bock or equal.	Addition code, wrist, electric supination, and pronation of terminal device, can be used with hand or gripper, 6V	1 unit = each, 2 per year.	
PRT	L7261	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Electronic wrist rotator, for utah arm.	Addition code, wrist, electric supination and pronation of terminal device, can be used with hand or gripper, 12V	1 unit = each, 2 per year.	
PRT	L7266	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Servo control, steeper or equal.	Addition code, control system, servo transducer allows a change in direction or speed of a prosthetic component	1 unit = each, 2 per year.	
PRT	L7272	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Analogue control, unb or equal.	Addition code, control system, myoelectric circuitry that allows one muscle site to operate two functions	1 unit = each, 2 per year.	
PRT	L7274	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Proportional control, 6-12 volt, liberty, utah or equal.	Addition code, control system, circuitry that allows variable speed based on the input of the signal(proportional control)	1 unit = each, 2 per year.	
PRT	L7360	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Six volt battery, otto bock or equal, each.	Addition code, battery, 6V, ni-cad	1 unit = each, 2 per year.	
PRT	L7362	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Battery charger, six volt, otto bock or equal.	Addition code, battery charger, 6V, for ni-cad batteries	1 unit = each, 2 per year.	
PRT	L7364	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Twelve volt battery, utah or equal, each.	Addition code, battery, 12V, ni-cad	1 unit = each, 2 per year.	
PRT	L7366	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Battery charger, twelve volt, utah or equal.	Addition code, battery charger, 12V, ni-cad	1 unit = each, 2 per year.	
PRT	L7367	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Lithium ion battery, replacement.		1 unit = each, 4 per year.	
PRT	L7368	ELECTRONIC UPPER LIMB PROSTHESES							RT LT	Sometimes	02 06 07	Lithium ion battery charger.		1 unit = each, 2 per year.	

				Orthotics and Prosthetics Payment and Coverage Guidelines									
<div>Updated 06/01/08 Program (Link)</div>	<div>Service Code Current</div>			<div>DHCFP (Link)</div>	<div>AAC+ INFORMATION</div>		<div>Modifier Required (Link)</div>	<div>PA Required (Link)</div>	<div>POS Required (Link)</div>	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics	* Subchapter 4 Prosthetics		* Error Codes and Explanations							
			* Subchapter 6 Orthotics	* Subchapter 6 Prosthetics									
			* Transmittal Letter ORT 20	* Transmittal Letter PRT 20									
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L7400	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 4 per year.
PRT	L7401	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 4 per year.
PRT	L7402	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber or equal).	A global code including any ultra-light materials encompassing all areas of the prosthesis, intended to be used once per base code.	1 unit = each, 4 per year.
PRT	L7403	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material.	This code describes the specific material used to laminate the BE/WD socket.	1 unit = each, 4 per year.
PRT	L7404	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material.	This code describes the specific material used to laminate the AE/ED socket.	1 unit = each, 4 per year.
PRT	L7405	MISCELLANEOUS ARTIFICIAL LIMB PROSTHESES						RT LT	Sometimes	02 06 07	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material.	This code describes the specific material used to laminate the SD/IT socket.	1 unit = each, 4 per year.
PRT	L7499	ELECTRONIC UPPER LIMB PROSTHESES		AAC+50%				RT LT	Yes	02 06 07	Upper extremity prosthesis, not otherwise specified.		Upper extremity prosthesis, not otherwise specified (Pay by report).
PRT	L7500	REPAIRS - PROSTHESES		AAC+70%					Sometimes	02 06 07	Repair of prosthetic device, hourly rate (excludes v5335 repair of oral or laryngeal prosthesis or artificial larynx).		Pay by report. PA REQD COMBINATOION OF LABOR AND REPAIR OVER \$1000 PER DATE OF SERVICE.
PRT	L7510	REPAIRS - PROSTHESES		AAC+70%				RT LT	Sometimes	02 06 07	Repair of prosthetic device, repair or replace minor parts.		Pay by report. PA REQD COMBINATOION OF LABOR AND REPAIR OVER \$1000 PER DATE OF SERVICE.
PRT	L7520	REPAIRS - PROSTHESES							Sometimes	02 06 07	Repair prosthetic device, labor component, per 15 minutes.		Pay by report. PA REQD COMBINATOION OF LABOR AND REPAIR OVER \$1000 PER DATE OF SERVICE.
PRT	L7600	PROSTHETIC SUPPLIES		AAC+70%				RT LT	Sometimes	02 06 07	Prosthetic donning sleeve, any material, each.	Prosthetic donning aid used to reduce friction while donning a suction type or similar socket.	1 unit = each, 4 per year.
PRT	L7611	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric.		1 unit = each, 4 per year.
PRT	L7612	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric.		1 unit = each, 4 per year.
PRT	L7613	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric.		1 unit = each, 4 per year.

				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out				* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations					
				* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics							
				* Transmittal Letter ORT 20		* Transmittal Letter PRT 20							
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L7614	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric.	1 unit = each, 4 per year.	
PRT	L7621	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any material, any size, lined or unlined.	1 unit = each, 4 per year.	
PRT	L7622	PROSTHETIC SUPPLIES		AAC+50%				RT LT	Sometimes	02 06 07	Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any material, any size, lined or unlined.	1 unit = each, 4 per year.	
PRT	L8000	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, mastectomy bra.	A bra made especially for use with mastectomy prosthesis, custom fitted. 1 unit = each, 2 per 7 months.	
PRT	L8001	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, Unilateral.	A bra which includes a built-in breast form. 1 unit = each, 2 per 7 months.	
PRT	L8002	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral.	A bra which includes two built-in breast forms. 1 unit = each, 2 per 7 months.	
PRT	L8010	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, mastectomy sleeve.	An elastic compression full arm sleeve, custom fitted. 1 unit = each, 2 per 7 months. An elastic compression full arm sleeve, custom fitted.	
PRT	L8015	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	External breast prosthesis garment, with mastectomy form, post mastectomy.	A bra which includes a light weight breast form for use soon after mastectomy or whenever conventionally weighted breast forms are not appropriate. 1 unit = each, 2 per 7 months.	
PRT	L8020	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, mastectomy form.	 1 unit = each, 2 per 7 months.	
PRT	L8030	BREAST PROSTHESES						RT LT	Sometimes	02 06 07	Breast prosthesis, silicone or equal.	 1 unit = each, 2 per 7 months.	
PRT	L8035	BREAST PROSTHESES						RT LT	Yes	02 06 07	Custom breast prosthesis, post mastectomy, molded to patient model.	 1 unit = each, 2 per year.	
PRT	L8039	BREAST PROSTHESES		AAC+50%				RT LT	Yes	02 06 07	Breast prosthesis, not otherwise specified.	 1 unit = each, 2 per year.	
PRT	L8300	TRUSSES						RT LT	Sometimes	02 06 07	Truss, single with standard pad.	A unilateral truss with a standard pad; custom fitted. 1 unit = each, 2 per year.	
PRT	L8310	TRUSSES						RT LT	Sometimes	02 06 07	Truss, double with standard pads.	A bilateral truss with standard pads and is custom fitted. 1 unit = each, 2 per year.	
PRT	L8320	TRUSSES						RT LT	Sometimes	02 06 07	Truss, addition to standard pad, water pad.	An addition to a truss. A pad that has an internal bladder and is filled with water. 1 unit = each, 2 per year.	
PRT	L8330	TRUSSES						RT LT	Sometimes	02 06 07	Truss, addition to standard pad, scrotal pad.	 1 unit = each, 2 per year.	
PRT	L8400	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sheath, below knee, each.	A sheer sock for below knee amputees that is worn between the residual limb and a prosthetic sock. 1 unit = each, 12 per year.	

MassHealth				Orthotics and Prosthetics Payment and Coverage Guidelines									
Updated 06/01/08 Program (Link)	Service Code Current			DHCFP (Link)	AAC+ INFORMATION		Modifier Required (Link)	PA Required (Link)	POS Required (Link)	Description	Interpretive Description	Requirements & Limits	
* Shoe Medical Necessity Form Print Out			* Subchapter 4 Orthotics		* Subchapter 4 Prosthetics		* Error Codes and Explanations						
			* Subchapter 6 Orthotics		* Subchapter 6 Prosthetics								
			* Transmittal Letter ORT 20		* Transmittal Letter PRT 20								
BACK TO THE TOP			Shoe Form	DHCFP	AAC COST	UNITS	AAC Markup						
PRT	L8410	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sheath, above knee, each.	A sheer sock for above knee amputees that is worn between the residual limb and a prosthetic sock.	1 unit = each, 12 per year.
PRT	L8415	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sheath, upper limb, each.	A sheer sock for upper extremity amputees that is worn between the residual limb and a prosthetic sock.	1 unit = each, 12 per year.
PRT	L8417	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each.		1 unit = each, 12 per year.
PRT	L8420	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, multiple ply, below knee, each.	A wool or synthetic sock for below knee amputees that is worn between the residual limb and the socket of their prosthesis. These are available in varied widths, lengths, and thickness.	1 unit = each, 12 per year.
PRT	L8430	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, multiple ply, above knee, each.	A wool or synthetic sock for above knee amputees that is worn between the residual limb and the socket of their prosthesis. These are available in varied widths, lengths, and thickness.	1 unit = each, 12 per year.
PRT	L8435	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, multiple ply, upper limb, each.	A wool or synthetic sock for upper extremity amputees that is worn between the residual limb and the socket of their prosthesis. These are available in varied widths, lengths, and thickness.	1 unit = each, 12 per year.
PRT	L8440	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic shrinker, below knee, each.	A below knee elastic compression support designed to shrink and shape the residual limb.	1 unit = each, 12 per year.
PRT	L8460	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic shrinker, above knee, each.	An above knee elastic compression support designed to shrink and shape the residual limb.	1 unit = each, 12 per year.
PRT	L8465	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic shrinker, upper limb, each.	An upper extremity elastic compression support designed to shrink and shape the residual limb.	1 unit = each, 12 per year.
PRT	L8470	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, single ply, fitting, below knee, each.	A thin sock normally worn over a regular prosthetic sock to adjust for residual limb size and for below knee amputees.	1 unit = each, 12 per year.
PRT	L8480	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, single ply, fitting, above knee, each.	A thin sock normally worn over a regular prosthetic sock to adjust for residual limb size and for above knee amputees.	1 unit = each, 12 per year.
PRT	L8485	PROSTHETIC SOCKS						RT LT	Sometimes	02 06 07	Prosthetic sock, single ply, fitting, upper limb, each.	A thin sock normally worn over a regular prosthetic sock to adjust for residual limb size and for upper extremity amputees	1 unit = each, 12 per year.
PRT	L8499	PROSTHETIC SOCKS		AAC + 40%				RT LT	Yes	02 06 07	Unlisted procedure for miscellaneous prosthetic services.		1 unit = each workorder.
ORT / PRT	S1040	CRANIAL MOLDING HELMET							Yes	02	Cranial Remolding Orthosis, Pediatric, rigid, with soft interface material.		1 unit = each. 1 per member.